

Rig Name	VALARIS 5004	VALARIS 8500	VALARIS 8501	VALARIS 8502	VALARIS 8503	VALARIS 8504	VALARIS 8505	VALARIS 8506	VALARIS DPs-1	VALARIS MS-1	VALARIS DS-3	VALARIS DS-4	VALARIS DS-5	VALARIS DS-6	VALARIS DS-7	
Previous Name	ENSCO 5004	ENSCO 8500	ENSCO 8501	ENSCO 8502	ENSCO 8503	ENSCO 8504	ENSCO 8505	ENSCO 8506		ENSCO MS-1	ENSCO DS-3	ENSCO DS-4	ENSCO DS-5	ENSCO DS-6	ENSCO DS-7	
DESIGN	Friede & Goldman 9500; Enhanced Decatur	DP-2	DP-2	DP-2	DP-2	DP-2	DP-2	DP-2	F&G End Millennium	F&G End Millennium	Samsung ATE DPG-3	Samsung ATE DPG-3	Samsung ATE DPG-3	Samsung ATE DPG-3	Samsung ATE DPG-3	
YEAR BUILT	1992	2008	2008	2010	2010	2011	2012	2012	2012	2011	2010	2010	2011	2011	2013	
WATER DEPTH - OPERATING - Outfitted to:	min. - 150 feet max. - 1,500 feet (outfitted to 1,500')	min. - 1,000 feet max. - 8,500 feet (outfitted to 8,500')	min. - 1,000 feet max. - 8,500 feet (outfitted to 8,500')	min. - 1,000 feet max. - 8,500 feet (outfitted to 8,500')	min. - 1,000 feet max. - 8,500 feet (outfitted to 8,500')	min. - 400 feet (moored) min. - 1,000 feet (DP) max. - 8,500 feet (outfitted to 8,500')	min. - 1,000 feet max. - 8,500 feet (outfitted to 8,500')	min. - 1,000 feet max. - 8,500 feet (outfitted to 8,500')	min. - 1,000 feet max. - 10,000 feet (outfitted to 10,000')	min. - 300 feet max. - 8,200 feet (outfitted to 8,200 feet w/ seal container)	min. - 1,000 feet max. - 10,000 feet (outfitted to 10,000 feet)	min. - 1,000 feet max. - 10,000 feet (outfitted to 10,000 feet)	min. - 1,000 feet max. - 10,000 feet (outfitted to 10,000 feet)	min. - 1,000 feet max. - 10,000 feet (outfitted to 10,000 feet)	min. - 1,000 feet max. - 10,000 feet (outfitted to 10,000 feet)	
WATER DEPTH - Upgrade	N/A	Can upgrade to max. - 10,000 feet	Can upgrade to max. - 10,000 feet	Can upgrade to max. - 10,000 feet	Can upgrade to max. - 10,000 feet	Can upgrade to max. - 10,000 feet	Can upgrade to max. - 10,000 feet	Can upgrade to max. - 10,000 feet	Can upgrade to max. - 10,000 feet	N/A	Can upgrade to max. - 10,000 feet	Can upgrade to max. - 12,000 feet	Can upgrade to max. - 12,000 feet	Can upgrade to max. - 12,000 feet	Can upgrade to max. - 10,000 feet	
MOORING POOL	25 ft x 70 ft	30 ft x 120 ft	30 ft x 120 ft	30 ft x 120 ft	30 ft x 120 ft	30 ft x 120 ft	30 ft x 120 ft	30 ft x 120 ft	30 ft x 120 ft	138.5 ft x 292.5 ft	41 ft x 84 ft	41 ft x 84 ft	41 ft x 84 ft	41 ft x 84 ft	41 ft x 84 ft	
COLUMNS	32ft x 85ft & 36.5ft x 85ft	50 ft x 45 ft	50 ft x 45 ft	50 ft x 45 ft	50 ft x 45 ft	50 ft x 45 ft	50 ft x 45 ft	50 ft x 45 ft	50 ft x 45 ft	52 ft x 66 ft	N/A	N/A	N/A	N/A	N/A	
MAIN DECK AREA	40,600 sq. ft.	61,200 sq. ft.	61,200 sq. ft.	61,200 sq. ft.	61,200 sq. ft.	61,200 sq. ft.	61,200 sq. ft.	61,200 sq. ft.	61,200 sq. ft.	59,536 sq. ft.	59,536 sq. ft.	59,536 sq. ft.	59,536 sq. ft.	59,536 sq. ft.	59,536 sq. ft.	
MAX. VDL	2,350 tons	8,000 tons	8,000 tons	8,000 tons	8,000 tons	8,000 tons	8,000 tons	8,000 tons	8,000 tons	11,500 tons	20,000 tons	20,000 tons	20,000 tons	20,000 tons	18,000 tons	
DRAWWORKS	National 1425-DE 3,000 horsepower	NOV ADS-30Q 6,000 horsepower	NOV ADS-30Q 6,000 horsepower	NOV ADS-30Q 6,000 horsepower	NOV ADS-30Q 6,000 horsepower	NOV ADS-30Q 6,000 horsepower	NOV ADS-30Q 6,000 horsepower	NOV ADS-30Q 6,000 horsepower	NOV ADS-30Q 6,000 horsepower	NOV AHD 1000 6,900 horsepower	NOV AHD-1000-6900-73 5,750 horsepower	(2) NOV Dresco SSGD-5750 5,750 horsepower (each)	NOV Dresco SSGD-5750 5,750 horsepower	NOV Dresco SSGD-5750 5,750 horsepower	(1) NOV Dresco SSGD-1250-6900 (1) NOV SSGD-1000-5750 6,900 / 5,750 horsepower	
DERRICK	Normal Dynamic 179	NOV 201	NOV 201	NOV 201	NOV 201	NOV 201	NOV 201	NOV 201	NOV 210	Leafmaster, 210	NOV 201	(2) NOV 201	NOV 201	NOV 201	(2) NOV 210	
Static Hook Load	1,250,000 lbs	2,000,000 lbs	2,000,000 lbs	2,000,000 lbs	2,000,000 lbs	2,000,000 lbs	2,000,000 lbs	2,000,000 lbs	2,000,000 lbs	2,000,000 lbs	2,000,000 lbs	2,000,000 lbs	2,000,000 lbs	2,000,000 lbs	2,500,000 lbs	
TOP DRIVE	850 ton Varco TDS-45	1,000 ton NOV-TDS-1000	1,000 ton NOV-TDS-1000	1,000 ton NOV-TDS-1000	1,000 ton NOV-TDS-1000	1,000 ton NOV-TDS-1000	1,000 ton NOV-TDS-1000	1,000 ton NOV-TDS-1000	1,250 ton NOV TDX-1250	1,000 ton NOV TDS-1000A	NOV HPS-1000-2E-AC	(2) NOV HPS-1000-2E-AC	NOV HPS-1000-2E-AC	1000 ton NOV TDX-1250	(1) NOV TDX-1250 1000 ton (aux) NOV HPS-1000	
ROTARY TABLE	National C-495 (40 1/2")	NOV RST 605 (60 1/2")	NOV RST 605 (60 1/2")	NOV RST 605 (60 1/2")	NOV RST 605 (60 1/2")	NOV RST 605 (60 1/2")	NOV RST 605 (60 1/2")	NOV RST 605 (60 1/2")	NOV RST 605 (60 1/2")	NOV RST 605 (60 1/2")	NOV RST 605 (60 1/2")	(1) NOV RST (75 1/2") (1) NOV FRST (60 1/2")	(2) NOV RST (60 1/2")	NOV RST (75 1/2")	(1) NOV RST (75 1/2" aux) (1) NOV RST (60 1/2" aux)	
MUD PUMPS	3 ea National 12-P-160	4 ea Lewco W-2215 (2200HP)	4 ea Lewco W-2215 (2200HP)	4 ea Lewco W-2215 (2200HP)	4 ea Lewco W-2215 (2200HP)	4 ea Lewco W-2215 (2200HP)	4 ea Lewco W-2215 (2200HP)	4 ea Lewco W-2215 (2200HP)	4 ea Lewco W-2215 (2200HP)	4 ea Lewco W-2215 (2200HP)	4 ea NOV N14-P-220 (2,200hp)	4 ea NOV N14-P-220 (2,200hp)	4 ea NOV N14-P-220 (2,200hp)	4 ea NOV N14-P-220 (2,200hp)	4 ea NOV N14-P-220 (2,200hp)	
SHALE SHAKERS	3 ea Derrick FLC-2000	6 ea Derrick FLC-514	6 ea Derrick FLC-514	6 ea Derrick FLC-514	6 ea Derrick FLC-514	6 ea Derrick FLC-514	6 ea Derrick FLC-514	6 ea Derrick FLC-514	6 ea NOV VSM-300	6 ea Derrick / DP-628VE	6 ea Autom AX-1	6 ea Autom AX-1	6 ea Brandt VSM 3000	6 ea Brandt VSM 3000	6 ea Brandt VSM 3000	
DESANDER / DESILTER / MUD CLEANER	Combined Desander/Desilter Flo Line Cleaner 2000 /ZGS48-120F-4TA	Derrick Vacu-Flo 1200	Derrick Vacu-Flo 1200	Derrick Vacu-Flo 1200	Derrick Vacu-Flo 1200	Derrick Vacu-Flo 1200	Derrick Vacu-Flo 1200	Derrick Vacu-Flo 1200	2 X NOV SE-20 Mud Cleaners	2 X Derrick 628MC Desilter	None	None	NOV Brandt SR-3 3 x 12" hydrocyclone	None	NOV Brandt SR-3 3 x 12" hydrocyclone	
LIQUID MUD CAPACITY	2,214 bbls	16,250 bbls	16,250 bbls	16,250 bbls	16,250 bbls	15,900 bbls	15,900 bbls	15,900 bbls	16,750 bbls	15,950 bbls	15,479 bbls	12,270 bbls	16,400 bbls	16,400 bbls		
BULK MUD CAPACITY	19,776 cu. ft.	13,000 cu. ft.	13,000 cu. ft.	13,000 cu. ft.	13,000 cu. ft.	13,000 cu. ft.	13,000 cu. ft.	13,000 cu. ft.	13,000 cu. ft.	16,485 cu. ft.	13,396 cu. ft.	16,000 cu. ft.	18,800 cu. ft.	18,800 cu. ft.		
BULK CEMENT CAPACITY	19,776 cu. ft.	13,000 cu. ft.	13,000 cu. ft.	13,000 cu. ft.	13,000 cu. ft.	13,000 cu. ft.	13,000 cu. ft.	13,000 cu. ft.	13,000 cu. ft.	16,485 cu. ft.	13,396 cu. ft.	18,800 cu. ft.	18,800 cu. ft.	18,800 cu. ft.		
DIVERTER	Regan KFDS-3 49 1/2" / 500 psi	Dri-Quip CSO 60" / 500 psi	Dri-Quip CSO 60" / 500 psi	Dri-Quip CSO 60" / 500 psi	Dri-Quip CSO 60" / 500 psi	Dri-Quip CSO 60" / 500 psi	Dri-Quip CSO 60" / 500 psi	Dri-Quip CSO 60" / 500 psi	Dri-Quip CSO 60" / 500 psi	Hydri FS21 60" / 500 psi	Hydri FS21M80 60" / 500 psi	NOV Shaffer Through bore 21 1/4" / 500 psi	NOV Shaffer 21-1/4" CSO / 500 psi	NOV Shaffer 60 1/2" / 500 psi	NOV Shaffer 75 1/2" / 500 psi	
ANNULAR BOP LMRP	(1) Cameron D Annular 18 3/4" / 10,000 psi (1) Shaffer Annular 18 3/4" / 8,000 psi	Dual Hydril 18 3/4" / 10,000 psi	Dual Hydril 18 3/4" / 10,000 psi	Dual Hydril 18 3/4" / 10,000 psi	Dual Hydril 18 3/4" / 10,000 psi	Dual Hydril 18 3/4" / 10,000 psi	Dual Hydril 18 3/4" / 10,000 psi	Dual Hydril 18 3/4" / 10,000 psi	Dual Hydril 18 3/4" / 10,000 psi	Dual Hydril 18 3/4" / 10,000 psi	Dual Hydril 18 3/4" / 10,000 psi	NOV Shaffer BOP Stack 2 Annulars	NOV Shaffer BOP Stack 2 Annulars	NOV Shaffer BOP Stack 2 Annulars	(2) NOV Shaffer BOP Stack 2 Annulars	
HIGH PRESSURE BOP STACK	(2) Cameron Double U R Ram Stack 18 3/4" / 15,000 psi	6 Ram Hydril 18 3/4" / 15,000 psi	6 Ram Hydril 18 3/4" / 15,000 psi	6 Ram Hydril 18 3/4" / 15,000 psi	6 Ram Hydril 18 3/4" / 15,000 psi	6 Ram Hydril 18 3/4" / 15,000 psi	6 Ram Hydril 18 3/4" / 15,000 psi	6 Ram Hydril 18 3/4" / 15,000 psi	6 Ram Hydril 18 3/4" / 15,000 psi	6 Ram Hydril 18 3/4" / 15,000 psi	6 Ram Hydril 18 3/4" / 15,000 psi	NOV Shaffer BOP Stack 6 Ram Casterls	NOV Shaffer BOP Stack 6 Ram Casterls	NOV Shaffer BOP Stack 6 Ram Casterls	2 ea NOV Shaffer BOP Stack 6 Ram Casterls	
COMPENSATOR	NOV Shaffer 500,000 lbs capacity	NOV 1,000 kips CMC-H-1000-25	NOV 1,000 kips CMC	NOV 1,000 kips CMC	NOV 1,000 kips CMC	NOV 1,000 kips CMC	NOV 1,000 kips CMC	NOV 1,000 kips CMC	NOV 1,000 kips CMC	NOV 1,000 kips CMC	Active Heave Drawworks AHD-1000	NOV CMC-1000-25	2 X NOV 2 X NOV CMC-1000-25 500st comp. 1,000st locked	NOV CMC/AHC-1000/25T-25 1,000st comp. 1,000st locked	NOV CMC/AHC-1000-25 1,000st comp. 1,000st locked	
THRUSTERS	N/A	8 ea Flowserve Pleuger WFDS-340-2610 2.6 MW per thruster	8 ea Flowserve Pleuger WFDS-340-2610 2.6 MW per thruster	8 ea Flowserve Pleuger WFDS-340-2610 2.6 MW per thruster	8 ea Flowserve Pleuger WFDS-340-2610 2.6 MW per thruster	8 ea Flowserve Pleuger WFDS-340-2610 2.6 MW per thruster	8 ea Flowserve Pleuger WFDS-340-2610 2.6 MW per thruster	8 ea Flowserve Pleuger WFDS-340-2610 2.6 MW per thruster	8 ea Flowserve Pleuger WFDS-340-2610 2.6 MW per thruster	8 ea Flowserve Pleuger WFDS-340-2610 2.6 MW per thruster	8 ea Rolls Royce Aermuthing 5.5 MW per thruster	6 ea Rolls Royce Aermuthing 5.5 MW per thruster	6 ea Rolls Royce Aermuthing 5.5 MW per thruster	6 ea Rolls Royce Aermuthing 5.5 MW per thruster	6 ea Rolls Royce Aermuthing 5.5 MW per thruster	
MAIN ENGINE	4 ea 2582 HP Bergen KV9B-12 Total HP 10,328	7 ea 5,000 HP EMD ME20-710G7C Total HP 35,000	7 ea 5,000 HP EMD ME20-710G7C Total HP 35,000	7 ea 5,000 HP EMD ME20-710G7C Total HP 35,000	7 ea 5,000 HP EMD ME20-710G7C Total HP 35,000	7 ea 5,000 HP EMD ME20-710G7C Total HP 35,000	7 ea 5,000 HP EMD ME20-710G7C Total HP 35,000	7 ea 5,000 HP EMD ME20-710G7C Total HP 35,000	7 ea 5,000 HP EMD ME20-710G7C Total HP 35,000	7 ea 5,000 HP EMD ME20-710G7C Total HP 35,000	Caterpillar C280-16 Total HP 54,288	Caterpillar C280-16 Total HP 54,288	Warsila 18V3240 Total HP 64,200	MAN-STX 16V3240 Total HP 64,200	MAN-STX 16V3240 Total HP 64,200	
MAIN GENERATORS	Siemens AC Generators 2,260 kVA (each)	Baylor S855YNV-643	Baylor S855YNV-643	Baylor S855YNV-643	5 ea Baylor S855YNV-643 2 ea Baylor S855YNV-656	Baylor S855YNV-643	Baylor S855YNV-643	Baylor S855YNV-643	Baylor S855YNV-643	8 x ABB AC Generator	4 x ABB AC Generator	ABB AC Generator	ABB AC Generator	ABB AC Generator	ABB AC Generator	
CRANES	2 ea Liebherr BOS 30-460 1 ea Liebherr BOS 60-800	2 ea Seatrax S90 Model 59032 1 x 52 ton gantry crane	2 ea Seatrax S90 Model 59032 1 x 52 ton gantry crane	2 ea Seatrax S90 Model 59032 1 x 52 ton gantry crane	2 ea Seatrax S90 Model 59032 1 x 52 ton gantry crane	2 ea Seatrax S90 Model 59032 1 x 52 ton gantry crane	2 ea Seatrax S90 Model 59032 1 x 52 ton gantry crane	2 ea Seatrax S90 Model 59032 1 x 52 ton gantry crane	2 ea Seatrax S90 Model 59032 1 x 52 ton gantry crane	2 ea Seatrax S108 1 ea NOV Riser Gantry Crane 1 ea NOV BOP Gantry Crane	2 ea Seatrax S108 Model 51833E 1 ea NOV Hydraulic AHC Knuckle Boom Crane	3 ea NOV Hydraulic Knuckle Boom Cranes 1 ea NOV Hydraulic AHC Knuckle Boom Crane	3 ea NOV Hydraulic Knuckle Boom Cranes 1 ea NOV Tubular Riser Gantry Crane	4 ea NOV Hydraulic Knuckle Boom Cranes NOV Riser Gantry Crane	4 ea NOV Hydraulic Riser Gantry Knuckle Boom Cranes NOV Riser Gantry Crane	3 ea NOV Hydraulic Knuckle Boom Cranes 1 ea NOV Hydraulic AHC Knuckle Boom Crane
ACCOMMODATION	120 Persons	150 Persons	150 Persons	150 Persons	150 Persons	150 Persons	150 Persons	150 Persons	150 Persons	200 persons	200 Persons	200 Persons	200 Persons	196 Persons	200 Persons	
HELIDECK CAPACITY	S-61N	S-61 / S-92	S-61 / S-92	S-61 / S-92	S-61 / S-92	S-61 / S-92	S-61 / S-92	S-61 / S-92	S-61 / S-92	S-61 / S-92 / EH-101	EH 101	S-92 or BV234LR Chinook	S-92 or BV234LR Chinook	S-92 or BV234LR Chinook	S-92 or BV234LR Chinook	
HELIDECK SIZE	80 feet	73 feet	73 feet	73 feet	73 feet	73 feet	73 feet	73 feet	73 feet	83 feet	83 feet	89 feet	89 feet	89 feet	89 feet	
WINCHES	4 ea Norwich double winlass	4 ea	4 ea	4 ea	4 ea	4 ea Broth RAMM-2050 460 KPS @ 60RPM 2,250ft 2.5" wire	4 ea Broth RAMM-2050 460 KPS @ 60RPM 2,250ft 2.5" wire	4 ea Broth RAMM-2050 460 KPS @ 60RPM 2,250ft 2.5" wire	4 ea Broth RAMM-2050 460 KPS @ 60RPM 2,250ft 2.5" wire	4 ea 2 ea Rolls Royce CUR478E	4 ea Amolyde CTW362/S2	N/A	N/A	N/A	N/A	
DRILL PIPE	19,000 ft x 5" OD Grade G-105 x 25.6lb/ft, OPGS-50 6,500ft x 3 1/2" OD Grade G-105 x 15.9lb/ft, NC-38	6 5/8" & 5" S-135 range 3	6 5/8" & 5" S-135 range 3	6 5/8" & 5" S-135 range 3	6 5/8" & 5" S-135 range 3	6 5/8" & 5" S-135 range 3 6 5/8" V-150 range 3 5 1/2" & 3 1/2" S-135 range 2	6 5/8" & 5" S-135 range 3 6 5/8" V-150 range 3	6 5/8" & 5" S-135 range 3 6 5/8" V-150 range 3	6 5/8" & 5" S-135 range 3 6 5/8" V-150 range 3	5.5" S-135 range 3 6 5/8" V-150 range 3	5.5" S-135 range 3	25,000 x 6 5/8 V-150 with XT160 threads	10,000 x 6 5/8" with XT157 threads 5,000 x 5" S-135 All pipe Range 3	Range III Contract Specific	To be supplied / Contract Specific	To be supplied / Contract Specific
LANDING STRING	5' OD Grade G-105 x 25.6lb/ft	6 5/8" Z-140 range 2	6 5/8" Z-140 range 2	6 5/8" Z-140 range 2	6 5/8" Z-140 range 2	6 5/8" Z-140 range 2	6 5/8" Z-140 range 2	6 5/8" Z-140 range 2	6 5/8" Z-140 range 2	Contract Specific	Contract Specific	10,000 x 6 5/8" with FH Threads 5,000 x 5" S-135	Contract Specific	Contract Specific	Contract Specific	
RISER	Cameron RD 21"	Drill-Quip 21" 2,500,000 lb Ramped 4 1/2"	Drill-Quip 21" 2,500,000 lb Ramped 4 1/2"	Drill-Quip 21" 2,500,000 lb Ramped 4 1/2"	Drill-Quip 21" 2,500,000 lb Ramped 4 1/2"	Drill-Quip 21" 3,000,000 lb Ramped 4 1/2"	Drill-Quip 21" 3,000,000 lb Ramped 4 1/2"	Drill-Quip 21" 3,000,000 lb Ramped 4 1/2"	Drill-Quip 21" 3,000,000 lb Ramped 4 1/2"	Aker Solutions CLIP Marine Riser	Aker Solutions CLIP Marine Riser	GE Vetco Dog Style 18 1/2" OD x 35 ft length	Vetco 21 1/4" OD or 19 1/2" ID	Vetco 21"	GE MR-64-SE	GE-Vetco 21" MR-64 SE
BUSINESS UNIT (CURRENTLY OPERATING)	EUM	NSA	NSA	NSA	NSA	MEAP	NSA	NSA	MEAP	MEAP	NSA	MEAP	NSA	EUM	EUM	

Rig Name	VALARIS DS-8	VALARIS DS-9	VALARIS DS-10	VALARIS DS-11	VALARIS DS-12	VALARIS DS-13	VALARIS DS-14	VALARIS RENAISSANCE	VALARIS DS-16	VALARIS DS-17	VALARIS DS-18	
Previous Name	ENSCO DS-8	ENSCO DS-9	ENSCO DS-10	ENSCO DS-11	ENSCO DS-12	ENSCO DS-13	ENSCO DS-14	Rowan Renaissance	Rowan Resolve	Rowan Reliance	Rowan Reliance	
DESIGN	Samsung GF-12000	Samsung GF-12000	Samsung GF-12000	DSME 12000 Double-Hull DP Drillship	DSME 12000 Double-Hull DP Drillship	DSME 12000 Double-Hull DP Drillship	DSME 12000 Double-Hull DP Drillship	GustoMSC P10,000	GustoMSC P10,000	GustoMSC P10,000	GustoMSC P10,000	
YEAR BUILT	2015	2015	2015	2013	2013	2013	2013	2014	2014	2014	2015	
WATER DEPTH - OPERATING - Outfitted to:	min - 1,000 feet max - 10,000 feet (outfitted to 10,000 feet)	min - 1,000 feet max - 10,000 feet (outfitted to 10,000 feet)	min - 1,000 feet max - 10,000 feet (outfitted to 10,000 feet)	min - 3,281 feet max - 12,000 feet (outfitted to 10,000 feet)	min - 3,281 feet max - 12,000 feet (outfitted to 10,000 feet)	min - 3,281 feet max - 12,000 feet (outfitted to 10,000 feet)	min - 3,281 feet max - 12,000 feet (outfitted to 10,000 feet)	min - 2,500 feet universally max - 12,000 feet (outfitted to 12,000 feet)	min - 2,500 feet universally max - 12,000 feet (outfitted to 12,000 feet)	min - 2,500 feet universally max - 12,000 feet (outfitted to 12,000 feet)	min - 2,500 feet universally max - 12,000 feet (outfitted to 12,000 feet)	
WATER DEPTH - Upgrade	Can upgrade to max - 12,000 feet	Can upgrade to max - 12,000 feet	Can upgrade to max - 12,000 feet	Can upgrade to max - 12,000 feet	Can upgrade to max - 12,000 feet	Can upgrade to max - 12,000 feet	Can upgrade to max - 12,000 feet	Outfitted to 12,000 feet	Outfitted to 12,000 feet	Outfitted to 12,000 feet	Outfitted to 12,000 feet	
MOON POOL	41.8 x 84.6	35.8 x 81.8	41.8 x 84.6	72.8 x 83.9 ft	72.8 x 83.9 ft	72.8 x 83.9 ft	72.8 x 83.9 ft	73.5 ft x 42 ft	73.5 ft x 42 ft	73.5 ft x 42 ft	73.5 ft x 42 ft	
COLUMNS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
MAIN DECK AREA	3,600 sq. meters	3,600 sq. meters	3,600 sq. meters	3,600 sq. meters	3,600 sq. meters	3,600 sq. meters	3,600 sq. meters	470 ft x 118 ft	470 ft x 118 ft	470 ft x 118 ft	470 ft x 118 ft	
MAX. VDL	22,000 tons	22,000 tons	22,000 tons	23,000 tons	23,000 tons	23,000 tons	23,000 tons	22,000 tons	22,000 tons	22,000 tons	22,000 tons	
DRAWWORKS	(1) NOV Dress AHD-1250-9000 (1) NOV AHD-1000-6900 9,000 / 6,900 horsepower	(1) NOV Dress AHD-1250-9000 (1) NOV AHD-1000-6900 9,000 / 6,900 horsepower	(1) NOV Dress AHD-1250-9000 (1) NOV AHD-1000-6900 9,000 / 6,900 horsepower	(1) NOV AHD-1250-9000 (1) NOV S85G-1000-6000-48-82-10 9,000 / 6,000 horsepower	(1) NOV AHD-1250-9000 (1) NOV S85G-1000-6000-48-82-10 9,000 / 6,000 horsepower	(1) NOV AHD-1250-9000 (1) NOV S85G-1000-6000-48-82-10 9,000 / 6,000 horsepower	(1) NOV AHD-1250-9000 (1) NOV S85G-1000-6000-48-82-10 9,000 / 6,000 horsepower	(1) NOV AHD-1250-9000-70-100-10.5-FMA-NECLAC (1) NOV AHD-750-5750-63-62-10-5-CLAC 12,600 / 8,500 horsepower	(1) NOV AHD-1250-9000-70-100-10.5-FMA-NECLAC (1) NOV AHD-750-5750-63-62-10-5-CLAC 12,600 / 8,500 horsepower	(1) NOV AHD-1250-9000-70-100-10.5-FMA-NECLAC (1) NOV AHD-750-5750-63-62-10-5-CLAC 12,600 / 8,500 horsepower	(1) NOV AHD-1250-9000-70-100-10.5-FMA-NECLAC (1) NOV AHD-750-5750-63-62-10-5-CLAC 12,600 / 8,500 horsepower	
DERRICK	(2) NOV 210	(2) NOV 210	(2) NOV 210	(2) NOV 210	(2) NOV 210	(2) NOV 210	(2) NOV 210	NOV 210	NOV 210	NOV 210	NOV 210	
Static Hook Load	2,500,000 lbs	2,500,000 lbs	2,500,000 lbs	2,500,000 lbs	2,500,000 lbs	2,500,000 lbs	2,500,000 lbs	main - 2,500,000 lbs aux - 1,500,000 lbs combined - 4,000,000	main - 2,500,000 lbs aux - 1,500,000 lbs combined - 4,000,000	main - 2,500,000 lbs aux - 1,500,000 lbs combined - 4,000,000	main - 2,500,000 lbs aux - 1,500,000 lbs combined - 4,000,000	
TOP DRIVE	1250 ton (2) NOV TDX-1250	1250 ton (2) NOV TDX-1250	1250 ton (2) NOV TDX-1250	1250 ton (main) NOV TDX-1250 1000 ton (aux) NOV TDX-1000	1250 ton (main) NOV TDX-1250 1000 ton (aux) NOV TDX-1000	1250 ton (main) NOV TDX-1250 1000 ton (aux) NOV TDX-1000	1250 ton (main) NOV TDX-1250 1000 ton (aux) NOV TDX-1000	1250 ton (main) NOV TDX-1250 1000 ton (aux) NOV TDX-ISA	1250 ton (main) NOV TDX-1250 1000 ton (aux) NOV TDX-ISA	1250 ton (main) NOV TDX-1250 1000 ton (aux) NOV TDX-ISA	1250 ton (main) NOV TDX-1250 1000 ton (aux) NOV TDX-ISA	
ROTARY TABLE	(1) NOV RST (75 1/2" main) (1) NOV RST (60 1/2" aux)	(1) NOV RST (75 1/2" main) (1) NOV RST (60 1/2" aux)	(1) NOV RST (75 1/2" main) (1) NOV RST (60 1/2" aux)	(1) NOV RST (75 1/2" main) (1) NOV RST (60 1/2" aux)	(1) NOV RST (75 1/2" main) (1) NOV RST (60 1/2" aux)	(1) NOV RST (75 1/2" main) (1) NOV RST (60 1/2" aux)	(1) NOV RST (75 1/2" main) (1) NOV RST (60 1/2" aux)	(1) NOV VBJ RST (75 1/2" main) (1) NOV VBJ RST (60 1/2" aux)	(1) NOV VBJ RST (75 1/2" main) (1) NOV VBJ RST (60 1/2" aux)	(1) NOV VBJ RST (75 1/2" main) (1) NOV VBJ RST (60 1/2" aux)	(1) NOV VBJ RST (75 1/2" main) (1) NOV VBJ RST (60 1/2" aux)	
MUD PUMPS	4 ea NOV N14-P-220 (2,200hp) (space for 2 additional)	5 ea NOV N14-P-220 (2,200hp) (space for 1 additional)	4 ea NOV N14-P-220 (2,200hp) (space for 2 additional)	4 ea NOV N14-P-220 (2,200hp) 1 ea NOV 10-P-130 (1,300hp)	4 ea NOV N14-P-220 (2,200hp)	4 ea NOV N14-P-220 (2,200hp)	4 ea NOV N14-P-220 (2,200hp)	5 ea NOV 14-P-220 (2,200hp)	5 ea NOV 14-P-220 (2,200hp)	5 ea NOV 14-P-220 (2,200hp)	5 ea NOV 14-P-220 (2,200hp)	
SHAPE SHAKERS	6 ea Brandt VSM 3000	6 ea Brandt VSM 3000	6 ea Brandt VSM 3000	6 ea NOV VSM-300	6 ea NOV VSM-300	6 ea NOV VSM-300	6 ea NOV VSM-300	6 ea NOV VSM-300	6 ea NOV VSM-300	6 ea NOV VSM-300	6 ea NOV VSM-300	
DESANDER/ DESILTER / MUD CLEANER	NOV Brandt SR-3 3 x 12" hydrocyclone NOV Brandt SE-24 24 x 4" hydrocyclone Brandt HS-3400 FVSD	NOV Brandt SR-3 3 x 12" hydrocyclone NOV Brandt SE-24 24 x 4" hydrocyclone	NOV Brandt SR-3 3 x 12" hydrocyclone NOV Brandt SE-24 24 x 4" hydrocyclone	(2) NOV Brandt SR-3 2 x 12" hydrocyclones (3) NOV Brandt DG-12 vacuum degassers	(2) NOV Brandt SR-3 2 x 12" hydrocyclones (3) NOV Brandt DG-12 vacuum degassers	(2) NOV Brandt SR-3 2 x 12" hydrocyclones (3) NOV Brandt DG-12 vacuum degassers	(2) NOV Brandt SR-3 2 x 12" hydrocyclones (3) NOV Brandt DG-12 vacuum degassers	Desander - (1) NOV Brandt Hydrocyclone 3 x 12" cones Desilter - (1) NOV Brandt Mud Cleaner - N/A Degasser - (2) Burgess Magna-Vac-1500	Desander - (1) NOV Brandt Hydrocyclone 3 x 12" cones Desilter - (1) NOV Brandt Mud Cleaner - N/A Degasser - (2) Burgess Magna-Vac-1500	Desander - (1) NOV Brandt Hydrocyclone 3 x 12" cones Desilter - (1) NOV Brandt Mud Cleaner - N/A Degasser - (2) Burgess Magna-Vac-1500	Desander - (1) NOV Brandt Hydrocyclone 3 x 12" cones Desilter - (1) NOV Brandt Mud Cleaner - N/A Degasser - (2) Burgess Magna-Vac-1500	
LIQUID MUD CAPACITY	21,335 bbls	16,870 bbls	16,870 bbls	18,000 bbls	18,000 bbls	18,000 bbls	18,000 bbls	20,656 bbls	20,656 bbls	20,656 bbls	20,656 bbls	
BULK MUD CAPACITY	21,330 cu. ft.	24,000 cu. ft.	24,150 cu. ft.	18,951 cu. ft.	18,951 cu. ft.	18,951 cu. ft.	18,951 cu. ft.	16,103 cu. ft.	16,103 cu. ft.	16,103 cu. ft.	16,103 cu. ft.	
BULK CEMENT CAPACITY	24,150 cu. ft.	26,800 cu. ft.	26,800 cu. ft.	12,007 cu. ft.	12,007 cu. ft.	12,007 cu. ft.	12,007 cu. ft.	14,408 cu. ft.	14,408 cu. ft.	14,408 cu. ft.	14,408 cu. ft.	
DIVERTER	NOV 75 1/2" / 500 psi	NOV 75 1/2" / 500 psi	NOV 75 1/2" / 500 psi	Hydril 75 1/2" / 500 psi	Hydril 75 1/2" / 500 psi	Velco 75 1/2" / 720 psi	Velco 75 1/2" / 720 psi	Cameron Type CSD 21.25" main bore / 500 psi	Cameron Type CSD 21.25" main bore / 500 psi	Cameron Type CSD 21.25" main bore / 500 psi	Cameron Type CSD 21.25" main bore / 500 psi	
ANNULAR BOP LMRP	NOV Shaffer BOP Stack 2 Annulars 18 3/4" / 10,000 psi	NOV Shaffer BOP Stack 2 Annulars 18 3/4" / 10,000 psi	NOV Shaffer BOP Stack 2 Annulars 18 3/4" / 10,000 psi	GE/Hydril BOP Stack 2 Annulars 18 3/4" / 10,000 psi	GE/Hydril BOP Stack 2 Annulars 18 3/4" / 10,000 psi	GE/Hydril BOP Stack 2 Annulars 18 3/4" / 10,000 psi	GE/Hydril BOP Stack 2 Annulars 18 3/4" / 10,000 psi	(2) Hydril GX Dual Annulars 18 3/4" / 10,000 psi	(2) Hydril GX Dual Annulars 18 3/4" / 10,000 psi	(2) Hydril GX Dual Annulars 18 3/4" / 10,000 psi	(2) Hydril GX Dual Annulars 18 3/4" / 10,000 psi	
HIGH PRESSURE BOP STACK	NOV Shaffer BOP Stack 6 Ram Cavities 18 3/4" / 15,000 psi	2 ea NOV Shaffer BOP Stack 6 Ram Cavities 18 3/4" / 15,000 psi	NOV Shaffer BOP Stack 6 Ram Cavities 18 3/4" / 15,000 psi	2 ea GE/Hydril BOP Stack 7 Ram Cavities 18 3/4" / 15,000 psi	2 ea GE/Hydril BOP Stack 7 Ram Cavities 18 3/4" / 15,000 psi	2 ea GE/Hydril BOP Stack 7 Ram Cavities 18 3/4" / 15,000 psi	2 ea GE/Hydril BOP Stack 7 Ram Cavities 18 3/4" / 15,000 psi	(2) Cameron TL BOP Stacks 7 Ram Cavities each 18 3/4" / 15,000 psi	(2) Cameron TL BOP Stacks 7 Ram Cavities each 18 3/4" / 15,000 psi	(2) Cameron TL BOP Stacks 7 Ram Cavities each 18 3/4" / 15,000 psi	(2) Cameron TL BOP Stacks 7 Ram Cavities each 18 3/4" / 15,000 psi	
COMPENSATOR	N/A	N/A	N/A	NOV CMC/AHC-E-1500/2500 (main) NOV CMC/AHC-1000-2000-25 (auxiliary)	NOV CMC-E-1500/2500 NOV CMC-1000-2000-25	NOV CMC-E-1500/2500 NOV CMC-1000-2000-25	NOV CMC-E-1500/2500 NOV CMC-1000-2000-25	main - NOV CMC-1000-2500-25	main - NOV CMC-1000-2500-25	N/A	main - NOV CMC-1000-2500-25	
THRUSTERS	6 ea Rolls Royce Azimuthing (fully retractable) 5.5 MW per thruster	6 ea Rolls Royce Azimuthing (fully retractable) 5.5 MW per thruster	6 ea Rolls Royce Azimuthing (fully retractable) 5.5 MW per thruster	6 ea Rolls Royce Azimuthing 5.5 MW per thruster	6 ea Rolls Royce Azimuthing 5.5 MW per thruster	6 ea Rolls Royce Azimuthing 5.5 MW per thruster	6 ea Rolls Royce Azimuthing 5.5 MW per thruster	(6) Rolls Royce 5,000 kW azimuth type, self retracting canister	(6) Rolls Royce 5,000 kW azimuth type, self retracting canister	(6) Rolls Royce 5,000 kW azimuth type, self retracting canister	(6) Rolls Royce 5,000 kW azimuth type, self retracting canister	
MAIN ENGINE	6 ea 10,300 hp Wartsila 16V32 Total HP 61,800	6 ea 10,300 hp Wartsila 16V32 Total HP 61,800	6 ea 10,300 hp Wartsila 16V32 Total HP 61,800	6 ea 9,051 hp HH EMD Total HP 54,306	6 ea 9,051 hp HH EMD Total HP 54,306	6 ea 9,051 hp HH EMD Total HP 54,306	6 ea 9,051 hp HH EMD Total HP 54,306	(6) ea @ 10,728 hp HH Hmsen 16H32 / 40V Total HP 64,368	(6) ea @ 10,728 hp HH Hmsen 16H32 / 40V Total HP 64,368	(6) ea @ 10,728 hp HH Hmsen 16H32 / 40V Total HP 64,368	(6) ea @ 10,728 hp HH Hmsen 16H32 / 40V Total HP 64,368	
MAIN GENERATORS	ABB AC Generator	ABB AC Generator	ABB AC Generator	Siemens Hyndrix AC Generators	Siemens Hyndrix AC Generators	Siemens Hyndrix AC Generators	Siemens Hyndrix AC Generators	(6) ABB / HH EES HAU7 187-10P AC Generators	(6) ABB / HH EES HAU7 187-10P AC Generators	(6) ABB / HH EES HAU7 187-10P AC Generators	(6) ABB / HH EES HAU7 187-10P AC Generators	
CRANES	2 ea NOV Hydraulic Offshore Knuckle Boom Cranes 1 ea NOV Lattice Boom Crane 1 ea NOV Hydraulic AHC Knuckle Boom Crane NOV Riser Gantry Crane	2 ea NOV Hydraulic Offshore Knuckle Boom Cranes 1 ea NOV Lattice Boom Crane 1 ea NOV Hydraulic AHC Knuckle Boom Crane 1 ea NOV Riser Gantry Crane (Riser Hold)	2 ea NOV Hydraulic Offshore Knuckle Boom Cranes 1 ea NOV Lattice Boom Crane 1 ea NOV Hydraulic AHC Knuckle Boom Crane NOV Riser Gantry Crane	3 ea NOV Knuckle Boom Cranes (1000' net) 1 ea NOV Active Heave Crane (1650' net)	3 ea NOV Knuckle Boom Cranes 1 ea NOV Active Heave Crane	3 ea NOV Knuckle Boom Cranes 1 ea NOV Active Heave Crane	3 ea NOV Knuckle Boom Cranes 1 ea NOV Active Heave Crane	3 ea NOV Knuckle Boom Cranes 1 ea NOV Active Heave Crane	(3) NOV 100 MT Knuckle Boom Cranes (1) 20 MT Provisional crane on poop deck	(3) NOV 100 MT Knuckle Boom Cranes (1) 20 MT Provisional crane on poop deck	(3) NOV 100 MT Knuckle Boom Cranes (1) 20 MT Provisional crane on poop deck	(3) NOV 100 MT Knuckle Boom Cranes (1) 20 MT Provisional crane on poop deck
ACCOMMODATION	200 Persons	200 Persons	200 Persons	200 Persons	200 Persons	200 Persons	200 Persons	210 Persons	210 Persons	210 Persons	210 Persons	
HELIDECK CAPACITY	EH101	EH101	EH101	S-61 / S-62 / EH101	S-61 / S-62 / EH101	S-61 / S-62 / EH101	S-61 / S-62 / EH101	S-61 N / S-62	S-61 N / S-62	S-61 N / S-62	S-61 N / S-62	
HELIDECK SIZE	74.8 feet	74.8 feet	75 feet	74.8 feet	74.8 feet	74.8 feet	74.8 feet	72.2 feet	72.2 feet	72.2 feet	72.2 feet	
WINCHES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	(2) Rolls Royce electric anchor winches	(2) Rolls Royce electric anchor winches	(2) Rolls Royce electric anchor winches	(2) Rolls Royce electric anchor winches	
DRILL PIPE	To be supplied / Contract Specific	5 7/8" Range 3 6 5/8" Range 3 5 1/2" S135 range 3	6 5/8" V150 range 3 6 5/8" V150 range 3 5 1/2" S135 range 3	5 7/8" V-150 uGPS55 range 3 6 5/8" V-150 uGPS65 range 3	5 7/8" V-150 range 3 6 5/8" V-150 range 3	5 7/8" V-150 range 3 6 5/8" V-150 range 3	5 7/8" V-150 range 3 6 5/8" V-150 range 3	6" S135 range 2 5 7/8" S135 range 3 6 5/8" S135 range 3 6 5/8" V150 range 3	6" S135 range 2 5 7/8" S135 range 3 6 5/8" S135 range 3 6 5/8" V150 range 3	6" S135 range 2 5 7/8" S135 range 3 6 5/8" S135 range 3 6 5/8" V150 range 3	5 7/8" S135 range 3 6 5/8" S135 range 3 6 5/8" V150 range 3	
LANDING STRING	Contract Specific	Contract Specific	Contract Specific	V-150 R3 6-5/8 FH	V-150 R3 6-5/8 FH	Contract Specific	Contract Specific	6 5/8" UD165 slip proof	6 5/8" V150 slip proof	6 5/8" UD165 slip proof	6 5/8" V150 slip proof	
RISER	Velco 21"	GE/Velco 21" MR-6H SE	Velco 21"	Aker Solution Marine CLIP Riser	Aker Solution Marine CLIP Riser	Aker Solution Marine CLIP Riser	Aker Solution Marine CLIP Riser	Cameron Load King 21 1/4" 1" wall thickness throughout	Cameron Load King 21 1/4" 1" wall thickness throughout	Cameron Load King 21 1/4" 1" wall thickness throughout	Cameron Load King 21 1/4" 1" wall thickness throughout	
BUSINESS UNIT (CURRENTLY OPERATING)	MEAP	NSA	MEAP	NSA	MEAP	MEAP	MEAP	NSA	NSA	NSA	NSA	



Rig Name	VALARIS JU-54	VALARIS JU-67	VALARIS JU-70	VALARIS JU-71	VALARIS 72	VALARIS 75	VALARIS JU-76	VALARIS JU-84	VALARIS 87	VALARIS JU-88	VALARIS JU-92	VALARIS JU-97	VALARIS JU-100	VALARIS JU-101	
Previous Name	ENSCO 54	ENSCO 67	ENSCO 70	ENSCO 71			ENSCO 76	ENSCO 84		ENSCO 88	ENSCO 92	ENSCO 97	ENSCO 100	ENSCO 101	
DESIGN	F&G L-780 II	MLT 84-C	Htachi K1032N	Htachi 300C	Htachi K1025N	MLT Super 116-C	MLT Super 116-C	MLT 82 SD-C	MLT 116-C	MLT 82-SD-C	MLT 116-C	MLT 82-SD-C	MLT 150-88-C 'Gorilla'	KFELS Mod V-A	
YEAR BUILT	1982	1976	1981	1982	1981	1999	2000	1982	1982	2000	1982	1980	2009	2000	
LAST MAJOR UPGRADE	2004	2005	2014	1995	2011	N/A	N/A	2013	2006	2013	2003	2014	2009	2010	
WATER DEPTH - OPERATING	Min. - 20 feet Max. - 300 feet	Min. - 25 feet Max. - 350 feet	Min. - 25 feet Max. - 250 feet	Min. - 25 feet Max. - 225 feet	Min. - 25 feet Max. - 225 feet	Min. - 32 feet Max. - 350 feet	Min. - 16 feet Max. - 350 feet	Min. - 15 feet Max. - 320 feet	Min. - 22 feet Max. - 350 feet	Min. - 13 feet Max. - 250 feet	Min. - 22 feet Max. - 210 feet	Min. - 13 feet Max. - 250 feet	Min. - 20 feet Max. - 328 feet	Min. - 25 feet Max. - 400 feet	
LEG LENGTH	413'	388'	343'	343'	411'	544'	477'	367'	477'	367'	343'	367'	508'	540'	
SPUD CAN DIA.	39.66 ft	46'	45'	45'	45'	46'	46'	40'	46'	40'	46'	40'	65.8'	59.8'	
CANTILEVER REACH	50' x 24'	60' x 30' (70' with extensions)	45' x 24'	45' (62' with extensions) x 24'	45' x 24'	70' x 30'	65' x 30'	50' x 24'	60' x 24'	40' (50' with extension) x 24'	45' x 24'	47' x 24'	52' (60' with extensions) x 30'	70' x 30'	
MAX VDL	2,580 tons	3,792 tons	4,382 tons	4,782 tons	3,935 tons	3,250 tons	3,750 tons	1,995 tons	4,234 tons	1,893 tons (Mild weather area)	3,510 tons	2,371 tons	5,157 tons	6,429 tons	
DRAWWORKS	Cont. Emasco C2 2,000 horsepower	National 1625 DE 3,000 horsepower	National 1625-UE 3,000 horsepower	National 1320-UE 2,000 horsepower	National 1320-UE 2,000 horsepower	National 1320-UE 3,000 horsepower	National 1320-UE 3,000 horsepower	National 1320-UE 2,000 horsepower	National E-3000 3,000 horsepower	National 1320-UE 2,000 horsepower	National 1320-UE 2,000 horsepower	Cont. Emasco C-2 3,000 horsepower	National 1625-DE 3,000 horsepower	National 1625 UDBE 3,000 horsepower	
DERRICK	Dreco, 170'	Dreco 160'	Dreco 160'	Dreco 160'	Dreco 160'	Loadmaster 170'	Dreco 170'	Dreco 160'	National 160'	Superior 160'	Dreco 170'	Loadmaster 160'	Lee C Moore 160'	Dreco 170'	
Static Hook Load	1,036,000 lbs	1,500,000 lbs	1,500,000 lbs	1,500,000 lbs	1,500,000 lbs	1,500,000 lbs	1,500,000 lbs	1,000,000 lbs	1,500,000 lbs	1,000,000 lbs	1,000,000 lbs	1,000,000 lbs	1,500,000 lbs	1,500,000 lbs	
TOP DRIVE	650 Ton Varco TDS-4HQ	750 Ton Varco TDS-4H	500 ton Varco TDS-4H	500 ton Varco TDS-4H	500 ton Varco TDS-4H	750 TON Varco TDS-4H	750 Ton Varco TDS-4H	500 ton Varco TDS-4H	750 ton Varco TDS-8SA	650 ton Varco TDS-4H	500 ton Varco TDS-4H	750 ton Varco TDS-4H	750 ton Varco TDS-4H	750 ton Varco TDS-4H	
ROTARY TABLE	Continental Emasco T-3750	National C-375	National C-375	National C-375	National C-375	National D-495	National D-495	National C-375	National C-375	National C-375	National C-375	National C-375	National D-495	National D-495	
MUD PUMPS	2 ea Continental Emasco FB-1600	3 ea National 12-P-160	3 ea National 12-P-160	3 ea National 12-P-160	3 ea National 12-P-160	3 ea National 14-P-220	3 ea NOV 14P-220	2 ea National 12P-160	3 ea National 12-P-160	2 ea National 12-P-160	3 ea National 12-P-160	2 ea Emasco FB-1600	3 ea National 12-P-160	3 ea National 14-P-220	
SHALE SHAKERS	4 ea Brandt VSM 300	4 ea Brandt VSM-300 Dual Deck Balanced Elliptical Motion	3 ea Brandt VSM 300, 1 x Brandt VSM Multi-size	4 ea Brandt VSM 300	4 ea Brandt VSM-300	Brandt King Cobra Venom	4 ea Brandt VSM 300 Balanced Elliptical Motion	3 ea Derrick 50 Series	3 ea Derrick FLC-514	3 ea Derrick 514 Flo-Line	4 ea MI Swaco BEM-600	3 ea Brandt VSM 300	5 ea NOV Brandt VSM 300	3 ea x Brandt Multi Sizer	
DESANDER/ DESILT/ MUD CLEANER	1 ea Brandt ALT-16/2 SST 2 x 14' cones Brandt ALT-16/2 SST 16 x 5' cones	1 Each Brandt VSM-300 24/3 Mud Cleaner	N/A	N/A	N/A	1 ea Brandt King Cobra Combination Desilter/Desander 1000 GPM, 16 X 4' Cones	1 ea Derrick LCM 3D-3CMC 1 ea Brandt LCM 3D-3CMC	1 ea Derrick High-G Dryer 20 x 4' cones 1 ea Derrick High-G Dryer CM-4-20 3 x 10' cones	1 ea Derrick H-G Dryer - 20 x 4' / 3 x 10'	1 ea Derrick 3 x 10' cones	None	1 ea Derrick DSI 3 x 10' cones 1 ea Derrick D-RND-CM 20 x 4' cones	1 ea Brandt 20 x 4' cones	None	
LIQUID MUD CAPACITY	2,300 bbls	2,550 bbls	4,120 bbls	4,200bbls	4,267 bbls	2,500 bbls	4,478 bbls	1,545 bbls	1,689 bbls	1,693 bbls	1,434 bbls	1,589 bbls	2,399 bbls	4,808 bbls	
BULK MUD CAPACITY	4,032 cu. ft	3,120 cu.ft	5,000 cu.ft	5,000 cu.ft	5,000 cu.ft	5,440 cu. ft.	5,440 cu. ft.	4,000 cu. ft.	3,468 cu. ft	3,850 cu. ft	5,050 cu. ft	3,838 cu. ft.	8,500 cu. ft	9,200 cu. ft	
BULK CEMENT CAPACITY	4,032 cu. ft	3,120 cu. ft	5,000 cu. ft	5,000 cu. ft	5,000 cu. ft	5,098 cu. ft	5,440 cu. ft.	4,981 cu. ft.	3,468 cu. ft	3,850 cu. ft	4,200 cu. ft	5,757 cu. ft.	8,500 cu. ft	8,400 cu. ft	
DIVERTER	Hydri MSP 500 29 1/2" / 500 psi	KFDJ 37 1/2" / 2,000 psi	ABB Vetco KFDJ 36" / 2,000 psi	ABB Vetco KFDJ 36" / 2,000 psi	ABB Vetco KFDJ 36" / 2,000 psi	N/A	Vetco KFDJ-J-2000	Hydri MSP 21 1/2" 2000	N/A	Workover	ABB Vetco KFDJ 36" / 2,000 PSI	30" Hydri MSP 1000	ABB Vetco KFDJ 47" / 2,000 PSI	ABB Vetco KFDJ 47" / 2,000 PSI	
ANNUAL BOP LOW PRESSURE	N/A	Shaffer Spherical 21-1/4" - 2,000 psi	Hydri MSP 21-1/4" / 2,000 psi	Hydri MSP 21-1/4" / 2,000 psi	Hydri MSP 21-1/4" / 2,000 psi	Hydri MSP 21-1/4" / 2,000 psi	N/A	Shaffer 21 1/4" - 2,000 psi	Hydri MSP 21 1/4" / 2,000 psi	N/A	Hydri MSP 21 1/4" / 2,000 psi	Shaffer 21 1/4" 2000 psi	Hydri MSP 21 1/4" / 2,000Psi	None	
LOW PRESSURE BOP STACK	N/A	Shaffer Double 20 3/4" x 3,000 psi	2 Rams, Cameron 21-1/4" / 2,000 psi	2 Rams, Cameron 21-1/4" / 2,000 psi	2 Rams, Cameron 21-1/4" / 2,000 psi	N/A	N/A	N/A	N/A	N/A	2 Rams, Cameron 21 1/4" / 2,000 psi	N/A	2 Rams, Cameron "U" 21 1/4" / 2,000Psi	None	
ANNUAL BOP HIGH PRESSURE	Shaffer 13 5/8" / 5,000 psi	Shaffer 13 5/8" 5,000 psi	Hydri GX 13-5/8" / 5,000 psi	Hydri GX 13 5/8" / 5,000 psi	Hydri GX 13 5/8" / 5,000 psi	Shaffer Spherical 13-5/8" - 5000 psi	Shaffer Wedge Spherical 18 3/4" 10,000 psi	Shaffer 13 5/8" 5,000 psi	Shaffer 13 5/8" - 5,000 psi	Shaffer 13 5/8" 5,000 psi	Shaffer 13 5/8" / 5,000 psi	Shaffer Spherical 13 5/8" 5,000 psi	Hydri GX 13 5/8" / 5,000 psi	Shaffer Spherical 18 3/4" / 10,000 psi	
HIGH PRESSURE BOP STACK	CIW "U" 13 5/8" / 10,000 psi (1 double & 2 single)	2 x Cameron 13 5/8" 10,000 psi "U" dbl ram	3 Rams, Cameron 13 5/8" / 10,000 psi	3 Rams, Cameron 13 5/8" / 10,000 psi	3 Rams, Cameron 13 5/8" / 10,000 psi	3 Rams, Cameron 13-5/8" - 10,000 psi w/XT Shear Ram	3 Rams, Cameron 13-5/8" - 10,000 psi w/XT Shear Ram	Shaffer NXT 18 3/4" 15,000 psi 1 (double & 2 singles) 3 cavity 26 3/4" x 3,000 psi Cameron	Cameron "U" 13 5/8" / 10,000 psi (single & double)	Cameron "U" 13 5/8" / 10,000 psi (1 double & 2 single)	Cameron "U" 13 5/8" / 10,000 psi (double & single)	3 Rams, Cameron 13 5/8" / 10,000 psi	Cameron "U" 13 5/8" / 10,000 psi (double & single)	3 Rams, Cameron 13-5/8" 10M 10,000 psi w/ FXT Shear Bonnet	
MAIN ENGINE	3 ea 1850 HP EMD 12-645-E8 Total HP 4,950	3 ea 2,200 HP EMD 16-645-E8 Total HP 6,600	5 ea 1,215 HP Cat D-399 1 x 2,150 HP Cat D-3516 B Total HP 8,225HP	5 x 1,215 HP Cat D-399 1 x 2,150HP CAT 3516C Total HP 8,225HP	5 ea 1,295 HP Cat D-3512 Total HP 6,405	4 ea 1,855 HP CAT 3516-B Total HP 7,420	4 ea 2,514 HP Cat 3606 Total HP 10,056	3 ea 1,850 HP EMD MD12-645 E8 Total HP 4,950	4 ea 1,600 HP EMD 12-645-E8 Total HP 6,400	3 ea 1,600 HP EMD 12-645-E8 Total HP 4,800	4 ea 1,600 HP EMD 12-645-E8 Total HP 6,400	2ea EMD 12-645-E8B 2,500HP 1 ea EMD 12-645-E 1,650 HP Total HP 6,650	4 ea 1,650 HP EMD 12-645-E8 Total HP 6,600	6 ea 1,855 HP Cat 3516-B Total HP 11,130	
MAIN GENERATORS	EMD AB20-6	EMD AB-20-N6	5 ea 850 kW GE 1 x 1,525kW Kato	1 x 1,525kW Kato	5 ea 930 kW GE	4 ea 2,150 kW Caterpillar SR-4B	Kato	3 ea EMD AB20-6	EMD AB20-6	EMD AB20-6	3 ea 2,100 kW EMD	EMD AB20-6	4 ea 1,647 kW Baylor	6 ea 2,150 kW CAT	
CRANES	2 ea Dreco Model 48DNS120-1.5 Diesel/Hydraulic 40.3 mt Dynamic/52.55 mt Static @ 20.7 ft radius 6-part hoisting, Static Factor 1.33, Dynamic Factor 2.00	2 ea MLT PSM-120AS 24 ton	1 x Liebherr MTC 1900-6D x 150ft boom. 15T Aux Hoist, 60T Main Hoist	1 ea National OS215	1 ea National OS-215	50 Tons ea	3 ea MLT PCM-120SS	3 ea LeTourneau PCM120SS	3 ea LeTourneau PCM-120AS	50 Tons ea	3 ea LeTourneau PCM-120 AS	1 ea Dreco D48 Kingpost 2 ea MLT PCM-120	3 ea LeTourneau PCM-120	1 ea MLT PCM-120-SS 3 ea 60 tons / 1 ea 50 tons	3 ea Dreco T2 DNS 3 ea 50 mt
ACCOMMODATION	96 Persons	108 Persons	88 Persons	98 Persons	90 Persons	83 Persons	100 Persons	96 Persons	75 Persons	102 Persons	90 Persons	100 Persons	106 Persons	120 Person	
HELIDECK CAPACITY	S-61	MI-172	S-61	S-61	S-61	S-61	S-61	S-61	S-61	S-61	S-61	S-61	S-61	S-61	
HELIDECK SIZE	75 feet	84 feet	84 feet	83 feet	73 feet	73'	73 feet	70 feet	65'	65 feet	73 feet	83 feet	75 feet	75 feet	
WINCHES	none	4 ea	4 ea	4 ea	4 ea	N/A	2 ea	2 ea	N/A	4 ea	4 ea	N/A	4 ea	4 ea	
DRILL PIPE	5" G-105 4" XT-39 2 3/8" G-105	5 1/2" S-135 HT 55 3 1/2" S-135	5 1/2" HT55 S-135 5" NC50 S-135 4" HT40 S-135	4" HT40 5" NC50 5 1/2" HT55 S-135	5 1/2" HT55 S-135 5" NC50 S-135 4" HT40 S-135	5" S-135 19.5	5-7/8" S-135	4 ea Broth RAMW-2050 460 KIPS @ 65ft/sec 2,500ft x 3.5 wire	5 1/2" S-135 (HT-55)	2-3/8" G-105 4" CYX-105 5" G-105	5-1/2" HT55 S-135	2-3/8" G-105 4" CYX-105 XT39 Range 3 S-135	5" G-105 HT50 4" CYX-105 HT39 Range 3 S-135	5-1/2" HT55 S-135 4" VAM CDS, Range 3 S-135	5" NC50 5 1/2" HT55 S-135
PREVIOUS NAMES	Western Appollo III Loosbrock Galaxy Dual Rio 89	Penrod 67	Dan Duke	Dan Earl	Ocean Benamin Roas Explorer	Chiles Magellan	Chiles Coronado	Penrod 84	Penrod 87	Penrod 88	Penrod 92	Keyes 250 Marine 250 Dual Rio 86	Transworld Rig 74 Mr. Mac West Omlagon	N/A	
BUSINESS UNIT (CURRENTLY OPERATING)	MEAAP	MEAAP	EUM	EUM	EUM	NSA	MEAAP	MEAAP	NSA	MEAAP	EUM	MEAAP	EUM	EUM	



Rig Name	VALARIS JU-102	VALARIS JU-104	VALARIS JU-105	VALARIS JU-106	VALARIS JU-107	VALARIS JU-108	VALARIS JU-109	VALARIS JU-110	VALARIS JU-111	VALARIS JU-112	VALARIS JU-113	VALARIS JU-114	VALARIS JU-115	VALARIS JU-120
Previous Name	ENSCO 102	ENSCO 104	ENSCO 105	ENSCO 106	ENSCO 107	ENSCO 108	ENSCO 109	ENSCO 110	ENSCO 111	ENSCO 112	ENSCO 113	ENSCO 114	ENSCO 115	ENSCO 120
DESIGN	KFELS Mod V-A	KFELS MOD V-B	KFELS MOD V-B	KFELS Mod V-B "Bigfoot"	KFELS Mod V-B "Bigfoot"	KFELS Mod V-B "Bigfoot"	KFELS Mod V Super "B"	KFELS Mod V-B "Bigfoot"	KFELS Mod V Enhanced B-Class	LeTourneau Super 116E	Baker Marine Pacific Class 400	Baker Marine Pacific Class 400	Baker Marine Pacific Class 400	KFELS Super "A"
YEAR BUILT	2002	2002	2002	2005	2006	2007	2008	2015	2003	2008	2012	2012	2013	2013
LAST MAJOR UPGRADE	N/A	2011	2010	N/A	N/A	2009	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
WATER DEPTH - OPERATING	Min. - 25 feet Max. - 400 feet	Min. - 30 feet Max. - 350 feet	Min. - 20 feet Max. - 400 feet	Min. - 16 feet Max. - 400 feet	Min. - 16 feet Max. - 400 feet	Min. - 16 feet Max. - 400 feet	Min. - 50 feet Max. - 350 feet	Min. - 16 feet Max. - 400 feet	Min. - 18 feet Max. - 400 feet	Min. - 15.4 feet Max. - 350 feet	Min. - 65 feet Max. - 400 feet	Min. - 65 feet Max. - 400 feet	Min. - 65 feet Max. - 400 feet	Min. - 25 feet Max. - 400 feet
LEG LENGTH	540'	517'	517'	517'	517'	517'	486'	517'	517'	532'	532'	532'	532'	528'
SPUD CAN DIA.	59.8'	47.2'	47'	53'	53'	53'	52.42 ft	53'	47.2'	39.8'	55.4'	55.4'	55.4'	59.67'
CANTILEVER REACH	70' (75' with extensions) x 30'	70' x 30'	70' x 30'	70' x 38ft (15ft port / 19ft stbd)	70' x 30'	70' x 30'	70' x 30' (with skid-off capability)	70' x 30'	70'	72'	75'	75'	75'	80' x 32'
MAX VDL	6,378 tons	4,012 tons	4,100 tons	4,469 tons	4,500 tons	4,500 tons	3,992 tons	4,500 tons	3,348 tons	2,672 tons	3,348 tons	3,348 tons	3,348 tons	7,150 tons
DRAWWORKS	National 1625 UDBE 3,000 horsepower	National 1625 UDBE 3,000 horsepower	National 1625-UDBE 3,000 horsepower	Varco/ADS-10DT 3,000 horsepower	Varco/ADS-10DT 3,000 horsepower	Varco/ADS-10DT 3,000 horsepower	NOV SSGO-850-4600 4,600 horsepower	Varco/ADS-10DT 3,000 horsepower	NOI Enasco C3, Type II 3,300 horsepower	Lewco LDW 1500K-102 4,500 horsepower	NOV/ ADS-10T 3,200 horsepower	NOV/ ADS-10T 3,200 horsepower	NOV ADS-10T 3,200 horsepower	NOV ADS-30Q 6,000 horsepower
DERICK	Dreco 170'	Dreco 170'	Dreco 170'	ML/Varco 160'	Woolslayer 160'	Woolslayer 160'	NOV 170'	Woolslayer 160'	Woolslayer 160'	Loadmaster 170'	Loadmaster 160'	Loadmaster 160'	Loadmaster 160'	NOV 210'
Static Hook Load	1,500,000 lbs	1,500,000 lbs	1,500,000 lbs	1,500,000 lbs	1,500,000 lbs	1,500,000 lbs	2,000,000 lbs	1,500,000 lbs	1,500,000 lbs	1,500,000 lbs	1,500,000 lbs	1,500,000 lbs	1,500,000 lbs	2,500,000 lbs
TOP DRIVE	750 ton Varco TDS-4H	750 ton NOV TDS-8A	750 ton Varco TDS-8SA	750 ton Varco TDS-8SA	750 ton Varco TDS-8SA	750 ton Varco TDS-8SA	1000 Ton NOV HPS1000-2E-AC	750 ton Varco TDS-8SA	750 ton NOV TDS-8SA	750 ton NOV TDS-8SA	750 ton NOV TDS-8SA	750 ton NOV TDS-8SA	750 ton NOV TDS-8SA	1250 ton NOV TDX-1250
ROTARY TABLE	National D-495	National D-495	National D-495	Varco/BJ RST 495	Varco/BJ RST 495	Varco/BJ RST 495	NOV D-495	NOV RST-495 (49.5")	Varco TDS-8SA	NOV (49.5")	NOV (49.5")	NOV (49.5")	NOV (49.5")	NOV RST 60 1/2"
MUD PUMPS	3 ea National 14-P-220	3 ea National 14-P-220	3 ea National 14-P-220	3 ea Lewco W-2215	3 ea Lewco W-2215	3 ea Lewco W-2215	3 ea NOV 14-P-220	3 ea NOV 14-P-220 HP AC	3 ea Lewco W-2215	3 ea NOV 14-P-220 HP AC	3 ea NOV 14-P-220 HP AC	3 ea NOV 14-P-220 HP AC	3 ea NOV 14-P-220 HP AC	3 ea NOV 14-P-220 HP AC
SHAPE SHAKERS	4 ea NOV Brandt VSM 300	4 ea NOV Brandt VSM 300	4 ea Axton shakers	4 ea NOV Brandt VSM 300	4 ea NOV Brandt VSM 300	4 ea NOV Brandt VSM 300	5 ea NOV Brandt VSM 300	4 ea NOV Brandt VSM 300	5 ea Brandt LCM-3D	5 ea Brandt VSM 300	4 ea Brandt VSM 300	4 ea Brandt VSM 300	4 ea Brandt VSM 300	4 ea NOV Brandt VSM Multizer
DESANDER/ DESILTER/ MUD CLEANER	1 ea Derrick/DSI Hi-G Driver - 3 x 10" cones 1 ea Derrick Hi-G Driver - 20 x 4" cones	1 ea Brandt LCM-3D	1 ea Brandt LCM-3D 4 x 12" cones 1 ea Brandt LCM-2D-CMC 32 x 4" cones Rig is in the process of de-commissioning and removing Desilter and desander	3 x 12" cones 24 x 4" cones	3 x 12" cones 24 x 4" cones	3 x 12" cones 24 x 4" cones	2 x Brandt DG-12 Degassers N/A	3 x 12" cones 24 x 4" cones	3 x 12" cones 24 x 3" cones	4 x 12" cones 32 x 12" cones	2 x 12" cones 16 x 4" cones	2 x 12" cones 16 x 4" cones	2 x 12" cones 16 x 4" cones	3 x 12" cones 24 x 4" cones
LIQUID MUD CAPACITY	4,796 bbls	3,516 bbls	3,575 bbls	3,891 bbls	3,891 bbls	3,891 bbls	5,566 bbls	4,500 bbls	2,590 bbls (active)	5,056 bbls	4,150 bbls	4,150 bbls	4,150 bbls	7,500 bbls
BULK MUD CAPACITY	9,560 cu.ft	6,000 cu.ft	6,000 cu.ft	6,000 cu.ft	6,000 cu.ft	6,000 cu.ft	9,608 cu.ft	6,000 cu.ft	6,000 cu.ft	6,100 cu.ft	5,827 cu.ft	5,827 cu.ft	5,827 cu.ft	9,200 cu. ft.
BULK CEMENT CAPACITY	8,080 cu.ft	5,100 cu.ft	5,100 cu.ft	5,100 cu.ft	5,100 cu.ft	5,100 cu.ft	6,147 cu.ft	5,100 cu.ft	5,100 cu.ft	6,100 cu.ft	5,827 cu.ft	5,827 cu.ft	5,827 cu.ft	8,400 cu. ft.
DIVERTER	ABB Vetco KFDJ 47" / 2,000 PSI	ABB Vetco KFDJ 49 1/2" / 500 psi	Shaffer Spherical 30" 1,000 psi Annular	ABB Vetco KFDJ 49 1/2" / 2,000 psi	ABB Vetco KFDJ 49 1/2" / 2,000 psi	ABB Vetco KFDJ 49 1/2" / 2,000 psi	ABB Vetco KFDJ 49 1/2" / 2,000 psi	GE Vetco Grey 49 1/2" / 500 psi	ABB Vetco Gray 49 1/2" / 500 psi	ABB Vetco Gray KFDJ 49 1/2" / 500 psi	ABB Vetco Gray KFDJ 47" / 500 psi	ABB Vetco Gray KFDJ 47" / 500 psi	ABB Vetco Gray KFDJ 47" / 500 psi	Cameron CF-B 49 1/2" / 1,000 psi
ANNUAL BOP LOW PRESSURE	None	N/A	None	N/A	N/A	N/A	N/A	N/A	Varco-Shaffer Spherical Annular BOP	N/A	N/A	N/A	N/A	N/A
LOW PRESSURE BOP STACK	None	N/A	None	N/A	N/A	N/A	N/A	N/A	Cameron Type 'U' Double Ram BOP 21 1/4" / 2,000 psi	N/A	N/A	N/A	N/A	N/A
ANNUAL BOP HIGH PRESSURE	Shaffer Spherical 13 5/8" / 5,000 psi	Shaffer 13 5/8" / 5,000 psi	Shaffer Spherical 18-3/4" / 5,000 Psi	Shaffer 18-3/4" / 5,000 Psi	Shaffer 18 3/4" / 5,000 psi	Cameron U 13-5/8" / 10,000 psi	Shaffer 18 3/4" / 10,000 psi Wedge cover	Shaffer 18 3/4" / 10,000 psi	Shaffer 13 5/8" / 10,000 psi	Shaffer 18 3/4" / 10,000 psi	Hydri / GX 18 3/4" / 10,000 psi	Hydri / GX 18 3/4" / 10,000 psi	Hydri / GX 18 3/4" / 10,000 psi	Hydri GX 18 3/4" / 10,000 psi
HIGH PRESSURE BOP STACK	4 rams, Shaffer SDL 13 5/8" / 10,000 psi	Cameron "U" 13 5/8" / 10,000 psi 4 ram	4 rams, Cameron 18 3/4" / 10,000 psi	Shaffer 18 3/4" / 10,000 psi (2 double ram)	Varco SLX 18-3/4" / 10,000 psi 4 ram (2 double ram)	Cameron U 13-5/8" / 10,000Psi (1 Single & 1 Double)	NOV Shaffer NXT 18 3/4" / 15,000 psi 4 ram (dbl & dbl) with 12 "blind/shear boosters	Shaffer 18 3/4" / 15,000 psi	2 x Cameron Type 'U' Double Ram BOP 13 5/8" / 15,000 psi	2 x Cameron Type 'TL' Double Ram BOP 18 3/4" / 15,000 psi	2 x Hydri / MPL Double 18 3/4" / 15,000 psi	2 x Hydri / MPL Double 18 3/4" / 15,000 psi	2 x Hydri / MPL Double 18 3/4" / 15,000 psi	Shaffer NXT 18 3/4" / 15,000 psi
MAIN ENGINE	6 ea 1,855 HP Cat 3516-B Total HP 11,130	5 ea 1,855 HP Cat 3516-B Total HP 9,275	5 ea 1,855 HP Cat 3516-B Total HP 9,275	5 ea 1,855 HP Cat 3516-B Total HP 9,275	5 ea 1,855 HP Cat 3516-B Total HP 9,275	5 ea 1,855 HP Cat 3516-B Total HP 9,275	5 ea 2,450 HP Wartsila 6L26A2 Total HP 12,250	5 ea 2,150 HP Cat 3516CHD Total HP 10,750	5 ea 1,855 HP Cat 3516B Total HP 9,275 HP	5 ea 2,150 HP Cat 3516CHD Total HP 10,750	5 ea 2,150 HP Cat 3516CHD Total HP 10,750	5 ea 2,150 HP Cat 3516CHD Total HP 10,750	5 ea 2,150 HP Cat 3516CHD Total HP 10,750	6 ea 2,150 HP Cat 3516CHD Total HP 12,900
MAIN GENERATORS	6 ea 2,150 KW CAT	5 ea Cat SP4-B 2,150 KVA ea	5 ea 1,322 kW CAT	Cat SR4B	5 ea CAT SR4B 1,383 KW each	Cat LSA96 VL6R 2500 KVA	Leroy-Somer	Cat	5 ea KATO 1,500 KW	5 ea KATO 1,500 KW	5 ea KATO 1,720 KW	5 ea KATO 1,720 KW	5 ea KATO 1,720 KW	6 ea 1,720 kW TSL Caterpillar
CRANES	3 ea Dreco 72 DNS 3 ea 50 mt	3 ea Dreco DNS-48 45M7 at 25' radius	3 ea Dreco D48 Kingpost 3 ea 50 tons	3 ea Favco 7.5 10 ton, whip line 45.4 MT	3 ea Favco 7.5 10 ton, whip line 45.4 MT	3 ea Favco 7.5 10 ton, whip line 45.4 MT	2 ea Seatrax 55624 1 ea Seatrax S7220 Whip line 13.8T & 13.2T Main Line 47T & 56T	3 ea Favco 11 ton, whip line 50 MT	2 ea Seatrax 4828 1 ea Seatrax 6024	1 ea LeTourneau 220 SS 2 ea LeTourneau 120 SS	3 ea Baker Marine BMC-2250 1,720 KW	3 ea Baker Marine BMC-2250 1,720 KW	3 ea Baker Marine BMC-2250 1,720 KW	3 ea Seatrax TBD 1 ea NOV KMC/VCT 1891 ppehancing knuckleboon crane
ACCOMMODATION	122 Persons	110 Persons	120 Person	120 Persons	112 Persons	120 Persons	120 Persons + 2 Slick Bay	140 Persons	112 Persons + 5 Slick Bay	110 Persons + 2 Slick Bay	150 Persons	150 Persons	150 Persons	150 Persons
HELIDECK CAPACITY	S-61	S-61 - 9.3 Tons	S-61	S-61, S-92, EC255	S-92	S-92	S-61 / S-92 / EC225	S-61N / S-92 / EH-101	S-61, S-92	S-61, S-92	S-61, S-92	S-61, S-92	S-61, S-92	S-61 / S-92
HELIDECK SIZE	83 feet	75 feet	75 feet	74 feet	74 feet	74 feet	74 feet	74 feet	73 feet	73 feet	72.8 feet	72.8 feet	72.8 feet	73 feet
WINCHES	4 ea	4 ea MLT - W1500	2 ea (Fwd) 2 ea (Aft)	4 ea	4 ea	foundations for winches provided	4 ea	4 ea	4 ea	N/A	4 ea	4 ea	4 ea	4 x 45 mt each
DRILL PIPE	5" NCS0	20,000 ft - 5 1/2" S-135 - R3 5,000 ft - 3 1/2" S-135 - R2	5-1/2" HT55 S-135	5-1/2" S-135 HT-55 3-1/2" S-135 HT-38 2-7/8" S-135	5 1/2" S135 HT-55	5" S-135 NC-50 4" G105	5-7/8" S-35 XT-57 5" S-135 NC-50 4" S-135 XT38 and WX39	To be supplied	5" S-135 3 1/2" S-135	5 1/2" S-135	5 1/2" S-135 uGPDSS55	5 1/2" S-135 uGPDSS55	5 1/2" S-135	5 1/2" DP S-135 GPDSS55 5" DP S-135 XT-50 3" DP S-135 GPDSS38"
PREVIOUS NAMES	N/A	Chiles Discovery	Chiles Galileo	N/A	N/A	N/A	Ocean Shield	To be supplied	Atwood Beacon	Atwood Aurora	Atwood Mako	Atwood Manta	Atwood Orca	N/A
BUSINESS UNIT (CURRENTLY OPERATING)	NSA	MEAAP	MEAAP	MEAAP	MEAAP	MEAAP	MEAAP	MEAAP	EUM	EUM	MEAAP	MEAAP	MEAAP	EUM



Rig Name	VALARIS JU-121	VALARIS 122	VALARIS JU-123	VALARIS JU-140	VALARIS JU-141	VALARIS JU-247	VALARIS GORILLA V	VALARIS JU-248	VALARIS JU-249	VALARIS JU-117	VALARIS JU-118	VALARIS EXL II	VALARIS EXL III	VALARIS JU-290	VALARIS JU-291	VALARIS JU-292	
Previous Name	ENSCO 121	ENSCO 121	ENSCO 123	ENSCO 140	ENSCO 141	Rowan Gorilla V	Valaris GORILLA VI	Rowan Gorilla VII	Ralph Coffman	Joe Douglas	Valaris JU-144	Valaris JU-145	Rowan Viking	Rowan Stavanger	Rowan Norway		
DESIGN	KFELS Super "A"	KFELS Super "A"	KFELS Super "A"	Cameron Letourneau Super 116E	Cameron Letourneau Super 116E	LeTourneau Super Gorilla 196E	LeTourneau Super Gorilla 201E	LeTourneau Super Gorilla 201E	LeTourneau Super Gorilla 209C	LeTourneau Super Gorilla 209C	LeTourneau Super 116E	LeTourneau Super 116E	Keppel FELS N-Class	Keppel FELS N-Class	Keppel FELS N-Class		
YEAR BUILT	2013	2013	2016	2016	2016	2016	2016	2016	2009	2012	2010	2010	2011	2011	2011		
LAST MAJOR UPGRADE	N/A	N/A	N/A	N/A	N/A	N/A	2014	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
WATER DEPTH - OPERATING	Min. - 25 feet Max. - 400 feet	Min. - 25 feet Max. - 400 feet	Min. - 25 feet Max. - 400 feet	340ft outfitting 400ft upgradeable	340ft outfitting 400ft upgradeable	444ft Max. - 400 feet	Min. - 30 feet Max. - 400 feet	Min. - 30 feet Max. - 400 feet	Min. - 25 feet Max. - 380 feet	Min. - 25 feet Max. - 350 feet	Min. - 20 feet Max. - 350 feet	Min. - 20 feet Max. - 350 feet	Min. - 30 feet Max. - 435 feet	Min. - 16.7 feet Max. - 400 feet	Min. - 30 feet Max. - 400 feet		
LEG LENGTH	540' (incl. spud can)	540' (incl. spud can)	525'	444ft	444ft	607 ft	536 ft	511 ft	511 ft	511 ft	477 ft	597 ft	597 ft	568 ft	568 ft		
SPUD CAN DIA.	59.67'	59.67'	59.67'	46ft	46ft	57 ft	57 ft	56 ft	56 ft	56 ft	46 ft	46 ft	66 ft	66 ft	66 ft		
CANTILEVER REACH	80' x 32'	80' x 32'	80' x 32'	70ft x 30ft	70ft x 30ft	75 ft (85 ft w/ ext upgradeable to 100 ft w/ additional ext'l) aft x 20 ft to port or stbd	75 ft (85 ft w/ ext upgradeable to 100 ft w/ additional ext'l) aft x 20 ft to port or stbd	85 ft (85 ft or 100 ft w/ ext) aft x 20 ft to port or stbd	80 ft aft x 15 ft to port or stbd	80 ft aft x 15 ft to port or stbd	70 ft aft x 15 ft to port or stbd	70 ft aft x 15 ft to port or stbd	75 ft aft x 20 ft to port or stbd (46 ft including secondary position)	75 ft aft x 20 ft to port or stbd (46 ft including secondary position)	75 ft aft x 20 ft to port or stbd (46 ft including secondary position)		
MAX VDL	7,150 tons	7,150 tons	7,150 tons	6,639 kips	6,639 kips	13,056 kips	12,462 kips	12,252 kips	10,222 kips (including drilling loads)	9,513 kips	6,349 kips	6,491 kips	8,373 kips	8,373 kips	8,319 kips		
DRAWWORKS	NOV ADS-30Q 6,000 horsepower	NOV ADS-30Q 6,000 horsepower	NOV ADS-30Q 6,000 horsepower	NOV ADS-10T 3,450 horsepower	NOV ADS-10T 3,450 horsepower	National Oilwell, model 2040 LDBE 3,000 horsepower	National Oilwell, model 2040 LDBE 3,000 horsepower	National Oilwell, model 2040 LDBE 3,000 horsepower	Lewco LDW-4500 3,000 horsepower	Lewco LDW-4500 3,000 horsepower	Lewco LDW-3000 HD 3,000 horsepower	Lewco LDW-3000 HD 3,000 horsepower	NOV SSGD-850-4600 4,600 horsepower	NOV SSGD-850-4600 4,600 horsepower	TT5 / Ultraheat 1060-6000 4,600 horsepower		
DERICK	NOV 210'	NOV 210'	NOV 210'	LCM Woolstayer	LCM Woolstayer	Woolstayer, Model 15063, Beam Leg Derrick 2,000,000 lbs	Woolstayer, Model 15063, Beam Leg Derrick 2,500,000 lbs	Woolstayer, Model 15063, Beam Leg Derrick 2,500,000 lbs	Loadmaster / "Offset" Beam Leg 2,500,000 lbs	Loadmaster / "Offset" Beam Leg 2,500,000 lbs	Loadmaster / "Offset" Beam Leg 2,000,000 lbs	Loadmaster / "Offset" Beam Leg 2,000,000 lbs	NOV 180'	NOV 180'	TT5 180'		
Static Hook Load	2,500,000 lbs	2,500,000 lbs	2,500,000 lbs	1,500,000 lbs	1,500,000 lbs	2,000,000 lbs	2,500,000 lbs	2,500,000 lbs	2,500,000 lbs	2,500,000 lbs	2,000,000 lbs	2,000,000 lbs	2,200,000 lbs	2,200,000 lbs	2,200,000 lbs		
TOP DRIVE	1250 ton NOV TDX-1250	1250 ton NOV TDX-1250	1250 ton NOV TDX-1250	750 ton NOV TDS-85A	750 ton NOV TDS-85A	LTI DTD-D-750 NOV TDX	1,000 ton NOV TDX	1,000 ton NOV TDX	LTI DTD-D-750 V2 NOV TDX	LTI DTD-D-750 V2 NOV TDX	LTI DTD-D-750 V2 NOV TDX	LTI DTD-D-750 V2 NOV TDX	LTI DTD-D-750 V2 NOV HPS-03	LTI DTD-D-750 V2 NOV HPS-03	TT5 1100T		
ROTARY TABLE	NOV RST (60 1/2")	NOV RST (60 1/2")	NOV RST (60 1/2")	NOV D-495 (49 1/2")	NOV D-495 (49 1/2")	lonal Oilwell - D495 (49 1/2")	lonal Oilwell - D495 (49 1/2")	lonal Oilwell - D495 (49 1/2")	Lewco L-495 (49 1/2")	Lewco L-495 (49 1/2")	Lewco L-495 (49 1/2")	Lewco L-495 (49 1/2")	NOV RST (49 1/2")	NOV RST (49 1/2")	NOV RST (49 1/2")		
MUD PUMPS	3 ea NOV 14-P-220 HP AC	3 ea NOV 14-P-220 HP AC	3 ea NOV 14-P-220 HP AC	3 ea NOV 14-P-220HP AC	3 ea NOV 14-P-220HP AC	4 ea NOV 14-P-220, AC	4 ea ontinental Emasco FC-220	4 ea ontinental Emasco FC-220	3 ea Lewco W-3000, AC	3 ea Lewco W-3000, AC	3 ea Lewco W-2215, AC	3 ea Lewco W-2215, AC	3 ea NOV 14-P-220, AC	3 ea NOV 14-P-220, AC	3 ea NOV 14-P-220, AC		
SHAPE SHAKERS	4 ea NOV Brandt VSM Multizer	4 ea NOV Brandt VSM Multizer	5 ea NOV Brandt VSM 300	5 ea NOV Brandt VSM 300	5 ea NOV Brandt VSM 300	4 ea Axiom AX-1	4 ea Axiom AX-1	4 ea Axiom AX-1	4 ea Axiom AX-1	4 ea Brandt King Cobra Plus	5 ea Derrick Dual Pool 600 series	5 ea Derrick Dual Pool 600 series	5 ea NOV Brandt VSM 300	5 ea NOV Brandt VSM 300	5 ea NOV Brandt VSM 300		
DESANDER/ DESALTER/ MUD CLEANER	3 x 12" cones 24 x 4" cones TBD	3 x 12" cones 24 x 4" cones TBD	3 x 12" cones 24 x 4" cones TBD	3 x 12" cones 24 x 4"	3 x 12" cones 24 x 4"	High Grade Triple Deck Shakers installed	High Grade Triple Deck Shakers installed	High Grade Triple Deck Shakers installed	High Grade Triple Deck Shakers installed	3 x 12" cones 24 x 4"	N/A	N/A	N/A	N/A	N/A		
LIQUID MUD CAPACITY	7,500 bbls	7,500 bbls	7,500 bbls	5,235 bbls	5,235 bbls	5,096 bbls	5,575 bbls	5,575 bbls	4,100 bbls	4,100 bbls	3,668 bbls	3,668 bbls	7,221 bbls	7,221 bbls	7,221 bbls		
BULK MUD CAPACITY	9,200 cu. ft.	9,200 cu. ft.	17,640 cu. ft.	7,000 cu. ft.	7,000 cu. ft.	11,000 cu. ft.	11,220 cu. ft.	11,220 cu. ft.	6,910 cu. ft.	6,910 cu. ft.	6,900 cu. ft.	6,900 cu. ft.	8,830 cu. ft.	8,830 cu. ft.	8,830 cu. ft.		
BULK CEMENT CAPACITY	8,400 cu. ft.	8,400 cu. ft.	17,640 cu. ft.	7,000 cu. ft.	7,000 cu. ft.	11,000 cu. ft.	11,220 cu. ft.	11,220 cu. ft.	6,910 cu. ft.	6,910 cu. ft.	6,900 cu. ft.	6,900 cu. ft.	7,064 cu. ft.	7,064 cu. ft.	7,064 cu. ft.		
DIVERTER	Cameron CF-B 49 1/2" / 1,000 psi	Cameron CF-B 49 1/2" / 1,000 psi	Vetco KFJD 49 1/2" psi	Vetco KFJD 1/2" RST 16" outlet	Vetco KFJD 1/2" RST 16" outlet	Vetco Gray / KFDJ-500 Housing 47" / Assembly 27.5" 500 psi	Vetco Gray / KFDJ-500 Housing 47" / Assembly 27.5" 500 psi	Vetco Gray / KFDJ-500 Housing 47" / Assembly 27.5" 500 psi	GE / KFDJ Model "J" 500 psi	GE Annual Type 1,000 psi	GE / KFDJ Model "J" 500 psi	GE / KFDJ Model "J" 500 psi	Vetco Gray / KFDJ-500 Housing 47" / Assembly 27.5" 500 psi	Vetco Gray / KFDJ-500 Housing 47" / Assembly 27.5" 500 psi	Vetco Gray / KFDJ-500 Housing 47" / Assembly 27.5" 500 psi		
ANNUAL BOP LOW PRESSURE	N/A	N/A	N/A	TBP	TBP	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
LOW PRESSURE BOP STACK	N/A	N/A	N/A	TBP	TBP	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
ANNUAL BOP HIGH PRESSURE	HydriL GX 18 3/4" / 10,000 psi	GE-HydriL GX 18 3/4" / 10,000 psi & 13-5/8" / 5,000psi	NOV Shaffer 13 5/8" 10,000psi	Shaffer 18 3/4" 10,000psi	Shaffer 18 3/4" 10,000psi	HydriL GX 13 5/8" 10,000 psi	HydriL GX 18 3/4" 10,000psi	HydriL GX 18 3/4" 10,000psi	Cameron DL 18 3/4" 10,000psi	HydriL GX 18 3/4" 10,000psi	HydriL GX 18 3/4" 10,000psi	HydriL GX 18 3/4" 10,000psi	Shaffer Spherical SBOP 18 3/4" 10,000psi	Shaffer Spherical SBOP 18 3/4" 10,000psi	Shaffer Spherical SBOP 18 3/4" 10,000psi		
HIGH PRESSURE BOP STACK	Shaffer NXT 18 3/4" / 15,000 psi	Shaffer & Cameron 18 3/4" / 10,000 psi & 13-5/8" / 5,000psi	Shaffer & Cameron 2 x 13 5/8" 10,000psi	Shaffer & Cameron 2 x 13 5/8" 10,000psi	Shaffer & Cameron 13 5/8" 15,000 psi	2 x Cameron Type "U" Double Ram BOP	2 x Cameron Type "TL" Double Ram BOP	2 x Cameron Type "TL" Double Ram BOP	2 x Cameron Type "TL" Double Ram BOP	2 x Cameron Type "TL" Double Ram BOP	2 x Cameron Type "TL" Double Ram BOP	1 x Cameron Type "U" Double Ram BOP & 1 x Cameron Type "U" Single Ram BOP	Shaffer NXT 18 3/4" / 15,000 psi	Shaffer NXT 18 3/4" / 15,000 psi	Shaffer NXT 18 3/4" / 15,000 psi		
MAIN ENGINE	6 ea 2,150 HP Caterpillar 3516CHD Total HP 12,900	6 ea 2,150 HP Caterpillar 3516CHD Total HP 12,900	6 ea 2,150 HP Caterpillar 3516CHD Total HP 12,900	5 x 2,150 KW Caterpillar 3516CHD Total 10,750 KW	5 x 2,150 KW Caterpillar 3516CHD Total 10,750 KW	5 ea 3,395 HP Caterpillar 3608 Total HP 16,975	5 ea 3,395 HP Caterpillar 3608 Total HP 16,975	5 ea 3,395 HP Caterpillar 3608 Total HP 16,975	5 ea 2,150 HP Caterpillar 3516C Total HP 12,900	6 ea 2,150 HP Caterpillar 3516C Total HP 12,900	5 x 2,150 HP Caterpillar 3516C Total HP 10,750	5 x 2,150 HP Caterpillar 3516C Total HP 10,750	4 ea 3,365 HP Wartsila 8L26 Total HP 13,460	4 ea 3,365 HP Wartsila 8L26 Total HP 13,460	4 ea 3,365 HP Wartsila 8L26 Total HP 13,460		
MAIN GENERATORS	6 ea 1,720 KW TSL Caterpillar	6 ea 1,720 KW TSL Caterpillar	6 ea 1,720 KW TSL Caterpillar	Kato 6P6-6-3200HR 1,596 KW	Kato 6P6-6-3200HR 1,596 KW	5 ea Kato 6P10-4400 2,400 KVA	5 ea Kato 6P10-4400 2,400 KVA	5 ea Kato A263790001 1,525 KW	6 ea Kato 6P6-6-3200HR 1,525 KW	6 ea Kato 6P6-6-3200HR 1,525 KW	2 ea LeTourneau PCM350SS 2 ea LeTourneau PCM20SS 2 ea LeTourneau PCM120SS	2 ea LeTourneau PCM20SS & 2 ea LeTourneau PCM120SS	4 ea Leroy Somer LSA56XL9-8P 2,400 KW	4 ea Leroy Somer LSA56XL9-8P 2,400 KW	4 ea Leroy Somer LSA56XL9-8P 2,400 KW		
CRANES	3 ea Seatrax 72	3 ea Seatrax 72	3 ea Seatrax TBD	3	3	4 ea LeTourneau PCM350SS 1 ea LeTourneau PCM 120SS 4 x 124 ft boom 1 x 100 ft boom	4 ea LeTourneau PCM350SS 1 ea LeTourneau PCM 120SS 4 x 124 ft boom 1 x 100 ft boom	4 ea LeTourneau PCM350SS 1 ea LeTourneau PCM 120SS 2 x 140 ft boom 1 x 100 ft boom	3 ea LeTourneau PCM20SS	3 ea LeTourneau PCM20SS	2 ea LeTourneau PCM20SS	2 ea LeTourneau PCM20SS	3 ea Liebherr BOS 2600 50 D Lt	3 ea Liebherr BOS 2600 50 D Lt	3 ea Liebherr BOS 2600 50 D Lt		
ACCOMMODATION	150 Persons	150 Persons	150 Persons	140 Persons	140 Persons	140 Persons	120 Persons	120 Persons	120 Persons	108 Persons	120 Persons	120 Persons	120 Persons	120 Persons	120 Persons		
HELIDeck CAPACITY	S-61 / S-92	S-61 / S-92	S-61 / S-92	S-61 / S-92	S-61 / S-92	EH101 / S-61	EH101 / S-61	EH101 / S-61	S-61 / S-92	S-61 / S-92	S-61N	S-61N	S-61 / S-92	S-61 / S-92	S-61 / S-92		
HELIDeck SIZE	73 feet	73 feet	95 ft x 80 ft	22.8 m	22.8 m	95 ft x 80 ft	95 ft x 80 ft	73 ft across flats	73 ft across flats	73 ft across flats	73 ft across flats	73 ft across flats	73 ft across flats	73 ft across flats	73 ft across flats		
WINCHES	4 x 45 mt each	4 x 45 mt each	4 x 45 mt each	TBP	TBP	4 x 50 ton ea	4 x 50 ton ea	4 x 50 ton ea	N/A	N/A	4 x 22 ton ea	N/A	4 x 60 ton ea	4 x 60 ton ea	4 x 60 ton ea		
DRILL PIPE	5 1/2" DP S-135 GPDSS5 5" DP S-135 GPDSS0 3 5/8" DP S-135 GPDSS38	3 1/2" S-135 GPDSS38 5" S-135 GPDSS0 5 1/2" S-135 GPDSS35	To be supplied	20,000' x 5 1/2" 5,000ft x 4"	20,000' x 5 1/2" 5,000ft x 4"	5" S-135 NC50	4" S-135 XT39 5 1/2" S-135 TSDS-55	5 1/2" S-135 5 1/2 FH	5 1/2" S-135 SSSD	5" S-135 NC50	5 7/8" S-135 XT57	5" S-135 NC50	5" S-135 NC50	5" S-135 NC50	5 1/2" S-135 5 1/2 FH	5" S-135 NC50 5 1/2" S-135 5 1/2 FH	
PREVIOUS NAMES	N/A	N/A	To be supplied	N/A - Newbuild	N/A - Newbuild	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
BUSINESS UNIT (CURRENTLY OPERATING)	EUM	EUM	MEAAP, shipyard construction	MEAAP	MEAAP	EUM	EUM	EUM	NSA	NSA	NSA	NSA	EUM	EUM	EUM		