

VALARIS								
Rig Name	VALARIS DS-11	VALARIS DS-12	VALARIS DS-13	VALARIS DS-14	VALARIS DS-15	VALARIS DS-16	VALARIS DS-17	VALARIS DS-18
Previous Name	ENSCO DS-11	ENSCO DS-12	ENSCO DS-13	ENSCO DS-14	Rowan Renaissance	Rowan Resolute	Rowan Reliance	Rowan Relentless
DESIGN	DSME 12000 Double-Hull DP Drillship	DSME 12000 Double-Hull DP Drillship	DSME 12000 Double-Hull DP Drillship	DSME 12000 Double-Hull DP Drillship	GustoMSC P10,000	GustoMSC P10,000	GustoMSC P10,000	GustoMSC P10,000
YEAR BUILT	2013	2013	Under Construction	Under Construction	2014	2014	2014	2015
WATER DEPTH - OPERATING - Outfitted to:	min - 3,281 feet max - 12,000 feet (outfitted to 10,000 feet)	min - 3,281 feet max - 12,000 feet (outfitted to 10,000 feet)	min - 3,281 feet max - 12,000 feet (outfitted to 10,000 feet)	min - 3,281 feet max - 12,000 feet (outfitted to 10,000 feet)	min - 2,500 feet universally max - 12,000 feet (outfitted to 12,000 feet)	min - 2,500 feet universally max - 12,000 feet (outfitted to 12,000 feet)	min - 2,500 feet universally max - 12,000 feet (outfitted to 12,000 feet)	min - 2,500 feet universally max - 12,000 feet (outfitted to 12,000 feet)
WATER DEPTH - Upgrade	Can upgrade to max - 12,000 feet	Can upgrade to max - 12,000 feet	Can upgrade to max - 12,000 feet	Can upgrade to max - 12,000 feet	Outfitted to 12,000 feet	Outfitted to 12,000 feet	Outfitted to 12,000 feet	Outfitted to 12,000 feet
MOON POOL	72.6 ft x 31.9 ft	72.6 ft x 31.9 ft	72.6 ft x 31.9 ft	72.6 ft x 31.9 ft	73.5 ft x 42 ft	73.5 ft x 42 ft	73.5 ft x 42 ft	73.5 ft x 42 ft
COLUMNS	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
MAIN DECK AREA					470 ft x 118 ft	470 ft x 118 ft	470 ft x 118 ft	470 ft x 118 ft
MAX. VDL	23,000 tons	23,000 tons	23,000 tons	23,000 tons	22,000 tons	22,000 tons	22,000 tons	22,000 tons
DRAWWORKS	(1) NOV AHD-1250 (1) NOV SSGD-1000-6000-48-82-10 9,000 / 6,000 horsepower	(1) NOV AHD-1250 (1) NOV SSGD-1000-6000-48-82-10 9,000 / 6,000 horsepower	(1) NOV AHD-1250 (1) NOV SSGD-1000-6000-48-82-10 9,000 / 6,900 horsepower	(1) NOV AHD-1250 (1) NOV SSGD-1000-6000-48-82-10 9,000 / 6,900 horsepower	(1) NOV AHD-1250-9000-70-100-10.5-FMM-NECLAC (1) NOV AHD-750-5750-63-82-10.5-CLAC 12,600 / 8,050 horsepower	(1) NOV AHD-1250-9000-70-100-10.5-FMM-NECLAC (1) NOV AHD-750-5750-63-82-10.5-CLAC 12,600 / 8,050 horsepower	(1) NOV AHD-1250-9000-70-100-10.5-FMM-NECLAC (1) NOV AHD-750-5750-63-82-10.5-CLAC 12,600 / 8,050 horsepower	(1) NOV AHD-1250-9000-70-100-10.5-FMM-NECLAC (1) NOV AHD-750-5750-63-82-10.5-CLAC 12,600 / 8,050 horsepower
DERRICK	NOV 210	NOV 210	NOV 210	NOV 210	NOV 210	NOV 210	NOV 210	NOV 210
Static Hook Load	2,500,000 lbs	2,500,000 lbs	2,500,000 lbs	2,500,000 lbs	main - 2,500,000 lbs aux - 1,500,000 lbs combined - 4,000,000	main - 2,500,000 lbs aux - 1,500,000 lbs combined - 4,000,000	main - 2,500,000 lbs aux - 1,500,000 lbs combined - 4,000,000	main - 2,500,000 lbs aux - 1,500,000 lbs combined - 4,000,000
TOP DRIVE	1250 ton (main) NOV TDX-1250 1000 ton (aux) NOV TDX-1000	1250 ton (main) NOV TDX-1250 1000 ton (aux) NOV TDX-1000	1250 ton (main) NOV TDX-1250 1000 ton (aux) NOV TDX-1000	1250 ton (main) NOV TDX-1250 1000 ton (aux) NOV TDX-1000	1250 ton (main) NOV TDX-1250 1000 ton (aux) NOV TDS-85A	1250 ton (main) NOV TDX-1250 1000 ton (aux) NOV TDS-85A	1250 ton (main) NOV TDX-1250 1000 ton (aux) NOV TDS-85A	1250 ton (main) NOV TDX-1250 1000 ton (aux) NOV TDS-85A
ROTARY TABLE	(1) NOV RST (75 1/2" main) (1) NOV RST (60 1/2" aux)	(1) NOV RST (75 1/2" main) (1) NOV RST (60 1/2" aux)	(1) NOV RST (75 1/2" main) (1) NOV RST (60 1/2" aux)	(1) NOV RST (75 1/2" main) (1) NOV RST (60 1/2" aux)	(1) NOV VBJ RST (75 1/2" main) (1) NOV VBJ RST (60 1/2" aux)	(1) NOV VBJ RST (75 1/2" main) (1) NOV VBJ RST (60 1/2" aux)	(1) NOV VBJ RST (75 1/2" main) (1) NOV VBJ RST (60 1/2" aux)	(1) NOV VBJ RST (75 1/2" main) (1) NOV VBJ RST (60 1/2" aux)
MUD PUMPS	4 ea NOV N14-P-220 (2,200hp) 1 ea NOV 10-P-130 (1,300hp)	4 ea NOV N14-P-220 (2,200hp)	4 ea NOV N14-P-220 (2,200hp)	4 ea NOV N14-P-220 (2,200hp)	5 ea NOV 14-P-220 (2,200hp)	5 ea NOV 14-P-220 (2,200hp)	5 ea NOV 14-P-220 (2,200hp)	5 ea NOV 14-P-220 (2,200hp)
SHALE SHAKERS	8 ea NOV VSM-300	8 ea NOV VSM-300	8 ea NOV VSM-300	8 ea NOV VSM-300	8 ea NOV VSM-300	8 ea NOV VSM-300	8 ea NOV VSM-300	8 ea NOV VSM-300
DESANDER/DESILTER / MUD CLEANER	(2) NOV VSM 300 20 x 4" hydrocyclones (3) NOV/Brandt DG-12 vacuum degassers	(2) NOV VSM 300 20 x 4" hydrocyclones (3) NOV/Brandt DG-12 vacuum degassers	(2) NOV VSM 300 20 x 4" hydrocyclones (3) NOV/Brandt DG-12 vacuum degassers	(2) NOV VSM 300 20 x 4" hydrocyclones (3) NOV/Brandt DG-12 vacuum degassers	Desander - (1) NOV Brandt Hydrocyclone 3 x 12" cones Desilter - (1) NOV Brandt Mud Cleaner - N/A Degasser - (2) Burgess Magna-Vac 1500	Desander - (1) NOV Brandt Hydrocyclone 3 x 12" cones Desilter - (1) NOV Brandt Mud Cleaner - N/A Degasser - (2) Burgess Magna-Vac 1500	Desander - (1) NOV Brandt Hydrocyclone 3 x 12" cones Desilter - (1) NOV Brandt Mud Cleaner - N/A Degasser - (2) Burgess Magna-Vac 1500	Desander - (1) NOV Brandt Hydrocyclone 3 x 12" cones Desilter - (1) NOV Brandt Mud Cleaner - N/A Degasser - (2) Burgess Magna-Vac 1500
LIQUID MUD CAPACITY	18,060 bbls	18,060 bbls	18,060 bbls	18,060 bbls	20,656 bbls	20,656 bbls	20,656 bbls	20,656 bbls
BULK MUD CAPACITY	16,951 cu. Ft.	16,951 cu. Ft.	16,951 cu. Ft.	16,951 cu. Ft.	16,103 cu.Ft.	16,103 cu.Ft.	16,103 cu.Ft.	16,103 cu.Ft.
BULK CEMENT CAPACITY	12,007 cu. ft.	12,007 cu. ft.	12,007 cu. ft.	12,007 cu. ft.	14,408 cu.Ft.	14,408 cu.Ft.	14,408 cu.Ft.	14,408 cu.Ft.
DIVERTER	Hydri 75 1/2" / 500 psi	Hydri 75 1/2" / 500 psi	Hydri 75 1/2" / 720 psi	Hydri 75 1/2" / 720 psi	Cameron Type CSO 21.25" max bore / 500 psi	Cameron Type CSO 21.25" max bore / 500 psi	Cameron Type CSO 21.25" max bore / 500 psi	Cameron Type CSO 21.25" max bore / 500 psi
ANNULAR BOP LMRP	GE/Hydri BOP Stack 2 Annulars 18 3/4" / 10,000 psi	GE/Hydri BOP Stack 2 Annulars 18 3/4" / 10,000 psi	GE/Hydri BOP Stack 2 Annulars 18 3/4" / 10,000 psi	GE/Hydri BOP Stack 2 Annulars 18 3/4" / 10,000 psi	(2) Hydri GX Dual Annulars 18 3/4" / 10,000 psi	(2) Hydri GX Dual Annulars 18 3/4" / 10,000 psi	(2) Hydri GX Dual Annulars 18 3/4" / 10,000 psi	(2) Hydri GX Dual Annulars 18 3/4" / 10,000 psi
HIGH PRESSURE BOP STACK	2 ea GE/Hydri BOP Stack 7 Ram Cavities 18 3/4" / 15,000 psi	2 ea GE/Hydri BOP Stack 7 Ram Cavities 18 3/4" / 15,000 psi	2 ea GE/Hydri BOP Stack 7 Ram Cavities 18 3/4" / 15,000 psi	2 ea GE/Hydri BOP Stack 7 Ram Cavities 18 3/4" / 15,000 psi	(2) Cameron TL BOP Stacks 7 Ram Cavities each 18 3/4" / 15,000 psi	(2) Cameron TL BOP Stacks 7 Ram Cavities each 18 3/4" / 15,000 psi	(2) Cameron TL BOP Stacks 7 Ram Cavities each 18 3/4" / 15,000 psi	(2) Cameron TL BOP Stacks 7 Ram Cavities each 18 3/4" / 15,000 psi
COMPENSATOR	NOV CMC/AHC-E-1500/2500 (main) NOV CMC/AHC-1000-2000-25 (auxiliary)	NOV CMC-E-1500/2500 NOV CNC-1000-2000-25	NOV CMC-E-1500/2500 NOV CNC-1000-2000-25	NOV CMC-E-1500/2500 NOV CNC-1000-2000-25	main - NOV CMC-1000-2500-25	main - NOV CMC-1000-2500-25	N/A	main - NOV CMC-1000-2500-25
THRUSTERS	6 ea Rolls Royce Azimuthing 5.5 MW per thruster	6 ea Rolls Royce Azimuthing 5.5 MW per thruster	6 ea Rolls Royce Azimuthing 5.5 MW per thruster	6 ea Rolls Royce Azimuthing 5.5 MW per thruster	(6) Rolls Royce 5,000 KW azimuth type, self retracting canister	(6) Rolls Royce 5,000 KW azimuth type, self retracting canister	(6) Rolls Royce 5,000 KW azimuth type, self retracting canister	(6) Rolls Royce 5,000 KW azimuth type, self retracting canister
MAIN ENGINE	6 ea. 9,051 hp HHI EMD Total HP 54,306	6 ea. 9,051 hp HHI EMD Total HP 54,306	6 ea. 9,051 hp HHI EMD Total HP 54,306	6 ea. 9,051 hp HHI EMD Total HP 54,306	(6) ea. @ 10,728 hp HHI Himsen 16H32 / 40V Total HP 64,368	(6) ea. @ 10,728 hp HHI Himsen 16H32 / 40V Total HP 64,368	(6) ea. @ 10,728 hp HHI Himsen 16H32 / 40V Total HP 64,368	(6) ea. @ 10,728 hp HHI Himsen 16H32 / 40V Total HP 64,368
MAIN GENERATORS	Siemens Hyundai AC Generator	Siemens Hyundai AC Generator	Siemens Hyundai AC Generator	Siemens Hyundai AC Generator	(6) ABB / HHI EES HAJ7 187-10P AC Generators	(6) ABB / HHI EES HAJ7 187-10P AC Generators	(6) ABB / HHI EES HAJ7 187-10P AC Generators	(6) ABB / HHI EES HAJ7 187-10P AC Generators
CRANES	3 ea NOV Knuckle Boom Cranes (100m T ea) 1 ea NOV Active Heave Crane (165mT)	3 ea NOV Knuckle Boom Cranes 1 ea NOV Active Heave Crane	3 ea NOV Knuckle Boom Cranes 1 ea NOV Active Heave Crane	3 ea NOV Knuckle Boom Cranes 1 ea NOV Active Heave Crane	(3) NOV 100 MT Knuckle Boom Cranes (1) NOV 165 MT Active Heave Crane (1) 20 MT Provisional crane on poop deck	(3) NOV 100 MT Knuckle Boom Cranes (1) NOV 165 MT Active Heave Crane (1) 20 MT Provisional crane on poop deck	(3) NOV 100 MT Knuckle Boom Cranes (1) NOV 165 MT Active Heave Crane (1) 20 MT Provisional crane on poop deck	(3) NOV 100 MT Knuckle Boom Cranes (1) NOV 165 MT Active Heave Crane (1) 20 MT Provisional crane on poop deck
ACCOMMODATION	200 Persons	200 Persons	200 Persons	200 Persons	210 Persons	210 Persons	210 Persons	210 Persons
HELIDECK CAPACITY	S-61 / S-92 / EH101	S-61 / S-92 / EH101	S-61 / S-92 / EH101	S-61 / S-92 / EH101	S-61 N / S-92	S-61 N / S-92	S-61 N / S-92	S-61 N / S-92
HELIDECK SIZE	74.8 feet	74.8 feet	74.8 feet	74.8 feet	72.2 feet	72.2 feet	72.2 feet	72.2 feet
WINCHES	N/A	N/A	N/A	N/A	(2) Rolls Royce electric anchor winches	(2) Rolls Royce electric anchor winches	(2) Rolls Royce electric anchor winches	(2) Rolls Royce electric anchor winches
DRILL PIPE	5 7/8" V-150 uGPS55 range 3 6 5/8" V-150 uGPS65 range 3	5 7/8" V-150 range 3 6 5/8" V-150 range 3	5 7/8" V-150 range 3 6 5/8" V-150 range 3	5 7/8" V-150 range 3 6 5/8" V-150 range 3	5" S135 range 2 5 7/8" S135 range 3 6 5/8" S135 range 3 6 5/8" V150 range 3	5" S135 range 2 5 7/8" S135 range 3 6 5/8" S135 range 3 6 5/8" V150 range 3	5" S135 range 2 5 7/8" S135 range 3 6 5/8" S135 range 3 6 5/8" V150 range 3	5 7/8" S135 range 3 6 5/8" S135 range 3 6 5/8" V150 range 3
LANDING STRING	V-150 R3 6-5/8 FH	V-150 R3 6-5/8 FH	Contract Specific	Contract Specific	6 5/8" UD165 slip proof	6 5/8" V150 slip proof	6 5/8" UD165 slip proof	6 5/8" V150 slip proof
RISER	Aker Solution Marine CLIP Riser	Aker Solution Marine CLIP Riser	Aker Solution Marine CLIP Riser	Aker Solution Marine CLIP Riser	Cameron Load King 21 1/4", 1" wall thickness throughout	Cameron Load King 21 1/4", 1" wall thickness throughout	Cameron Load King 21 1/4", 1" wall thickness throughout	Cameron Load King 21 1/4", 1" wall thickness throughout
BUSINESS UNIT (CURRENTLY OPERATING)	NSA	MEAAP	MEAAP, shipyard (construction)	MEAAP, shipyard (construction)	NSA	NSA	NSA	NSA



Rig Name	VALARIS JU-248	VALARIS JU-249	VALARIS JU-117	VALARIS JU-118	VALARIS JU-144	VALARIS JU-145	VALARIS JU-290	VALARIS JU-291	VALARIS JU-292
Previous Name	Rowan Gorilla VI	Rowan Gorilla VII	Ralph Coffman	Joe Douglas	Rowan EXL II	Rowan EXL III	Rowan Viking	Rowan Stavanger	Rowan Norway
DESIGN	LeTourneau Super Gorilla	LeTourneau Super Gorilla	LeTourneau 240-C	LeTourneau 240-C	LeTourneau Super 116E	LeTourneau Super 116E	Keppel FELS N-Class	Keppel FELS N-Class	Keppel FELS N-Class
YEAR BUILT	2001	2001	2009	2012	2010	2010	2011	2011	2011
LAST MAJOR UPGRADE	2014	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
WATER DEPTH - OPERATING	Min. - 30 feet Max. - 400 feet	Min. - 30 feet Max. - 400 feet	Min. - 25 feet Max. - 380 feet	Min. - 25 feet Max. - 350 feet	Min. - 20 feet Max. - 350 feet	Min. - 16.7 feet Max. - 350 feet	Min. - 30 feet Max. - 435 feet	Min. - 30 feet Max. - 400 feet	Min. - 30 feet Max. - 400 feet
LEG LENGTH	607 ft	607 ft	536 ft	491 ft	511 ft	477 ft	597 ft	568 ft	568 ft
SPUD CAN DIA.	57 ft	57 ft	56 ft	56 ft	46 ft	46 ft	66 ft	66 ft	66 ft
CANTILEVER REACH	75 ft (85 ft or 100 ft w/ ext) aft x 20 ft to port or stbd	85 ft (85 ft or 100 ft w/ ext) aft x 20 ft to port or stbd	80 ft aft x 15 ft to port or stbd	80 ft aft x 15 ft to port or stbd	70 ft aft x 15 ft to port or stbd	70 ft aft x 15 ft to port or stbd	75 ft aft x 20 ft to port or stbd (46 ft including secondary position)	75 ft aft x 20 ft to port or stbd (46 ft including secondary position)	75 ft aft x 20 ft to port or stbd (46 ft including secondary position)
MAX. VDL	12,462 kips	12,252 kips	10,222 kips (including drilling loads)	9,513 kips	6,349 kips	6,491 kips	8,373 kips	8,373 kips	8,319 kips
DRAWWORKS	National Oilwell, model 2040 UDBE 3,000 horsepower	National Oilwell, model 2040 UDBE 3,000 horsepower	Lewco LDW4500 3,000 horsepower	Lewco LDW4500 3,000 horsepower	Lewco LDW3000 HD 3,000 horsepower	Lewco LDW3000 HD 3,000 horsepower	NOV SSGD-850-4600 4,600 horsepower	NOV SSGD-850-4600 4,600 horsepower	TTS / UltraHost 1060-6000 4,600 horsepower
DERRICK Static Hook Load	Woodslayer, Model 15263, Beam Leg 2,500,000 lbs	Woodslayer, Model 15263, Beam Leg 2,500,000 lbs	Loadmaster / "Offset" Beam Leg 2,500,000 lbs	Loadmaster / "Offset" Beam Leg 2,500,000 lbs	Loadmaster / "Offset" Beam Leg 2,000,000 lbs	Loadmaster / "Offset" Beam Leg 2,000,000 lbs	NOV 180' Beam Leg 2,200,000 lbs	NOV 180' Beam Leg 2,200,000 lbs	TTS 180' Beam Leg 2,200,000 lbs
TOP DRIVE	1,000 ton NOV TDX	1,000 ton NOV TDX	750 ton LTI DDTD-750 V2	750 ton LTI DDTD-750 V2	750 ton LTI DDTD-750 V2	750 ton LTI DDTD-750 V2	1,000 ton NOV HPS-03	1,000 ton NOV HPS-03	1,000 ton TTS / 1100T
ROTARY TABLE	National Oilwell - D495 (49 1/2") 4 ea	National Oilwell - D495 (49 1/2") 4 ea	Lewco L-495 (49 1/2") 3 ea	Lewco L-495 (49 1/2") 3 ea	Lewco L-495 (49 1/2") 3 ea	Lewco L-495 (49 1/2") 3 ea	NOV RST (49 1/2") 3 ea	NOV RST (49 1/2") 3 ea	NOV RST (49 1/2") 3 ea
MUD PUMPS	Continental Emsco FC-220 4 ea	Continental Emsco FC-220 4 ea	Lewco W-3000, AC 3 ea	Lewco W-3000, AC 3 ea	Lewco W-2215, AC 3 ea	Lewco W-2215, AC 3 ea	NOV 14-P-220, AC 3 ea	NOV 14-P-220, AC 3 ea	NOV 14-P-220, AC 3 ea
SHALE SHAKERS	4 ea Axiom AX-1	4 ea Axiom AX-1	5 ea Axiom AX-1	4 (5 including hydro cyclone model) Brandt King Cobra Plus	5 ea Derrick Dual Pool 600 series	5 ea Derrick Dual Pool 600 series	5 ea NOV Brandt VSM 300	5 ea NOV Brandt VSM 300	5 ea Axiom AX-1
DESANDER/ DESILTER/ MUD CLEANER	High Grade Triple Deck Shakers installed	High Grade Triple Deck Shakers installed	High Grade Triple Deck Shakers installed	3 x 12" cones 24 x 4" Desander & Desilter utilized as Mud Cleaner	N/A	3 x 10" cones 20 x 4" Desander & Desilter utilized as Mud Cleaner	N/A	N/A	N/A
LIQUID MUD CAPACITY	5,575 bbls	5,575 bbls	4,100 bbls	4,100 bbls	3,668 bbls	3,668 bbls	7,221 bbls	7,221 bbls	7,221 bbls
BULK MUD CAPACITY	11,220 cu.ft.	11,220 cu.ft.	6,910 cu.ft.	6,910 cu.ft.	6,900 cu.ft.	6,900 cu.ft.	8,830 cu. ft.	8,830 cu. ft.	8,830 cu. ft.
BULK CEMENT CAPACITY	11,220 cu.ft.	11,220 cu.ft.	6,910 cu.ft.	6,910 cu.ft.	6,900 cu.ft.	6,900 cu.ft.	7,064 cu. ft.	7,064 cu. ft.	7,064 cu. ft.
DIVERTER	Vetco Gray / KFDJ-500 Housing 47" / Assembly 27.5" / 500 psi	Vetco Gray / KFDJ-2000 Housing 47" / Assembly 27.5" / 2,000 psi	GE / KFDJ Model "J" 500 psi	GE Annual Type 1,000 psi	GE / KFDJ Model "J" 500 psi	GE / KFDJ Model "J" 500 psi	Vetco Gray / KFDJ-500 Housing 47" / Assembly 27.5" / 500 psi	Vetco Gray / KFDJ-500 Housing 47" / Assembly 27.5" / 500 psi	Vetco Gray / KFDJ-500 Housing 47" / Assembly 27.5" / 500 psi
ANNULAR BOP LOW PRESSURE	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
LOW PRESSURE BOP STACK	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
ANNULAR BOP HIGH PRESSURE	HydriL GX 18 3/4" 10,000psi	HydriL GX 18 3/4" 10,000psi	Cameron DL 18 3/4" 10,000psi	HydriL GX 18 3/4" 10,000psi	HydriL GX 18 3/4" 10,000psi	HydriL GK 13 5/8" 5,000 psi	Shaffer Spherical SBOP 18 3/4" 10,000psi	Shaffer Spherical SBOP 18 3/4" 10,000psi	Shaffer Spherical SBOP 18 3/4" 10,000psi
HIGH PRESSURE BOP STACK	2 x Cameron Type 'TL' Double Ram BOP 18 3/4" / 15,000 psi	2 x Cameron Type 'TL' Double Ram BOP 18 3/4" / 15,000 psi	2 x Cameron Type 'TL' Double Ram BOP 18 3/4" / 15,000 psi	2 x Cameron Type 'TL' Double Ram BOP 18 3/4" / 15,000 psi	2 x Cameron Type 'TL' Double Ram BOP 18 3/4" / 15,000 psi	1 x Cameron Type 'U' Double Ram BOP & 1 x Cameron Type 'U' Single Ram BOP 13 5/8" / 10,000 psi	Shaffer NXT 18 3/4" / 15,000 psi	Shaffer NXT 18 3/4" / 15,000 psi	Shaffer NXT 18 3/4" / 15,000 psi
MAIN ENGINE	5 ea x 3,395 HP Caterpillar 3608 Total HP 16,975	5 ea x 3,395 HP Caterpillar 3608 Total HP 16,975	6 ea 2,150 HP Caterpillar 3516C Total HP 12,900	6 ea 2,150 HP Caterpillar 3516C Total HP 12,900	5 x 2,150 HP Caterpillar 3516C Total HP 10,750	5 x 2,150 HP Caterpillar 3516C Total HP 10,750	4 ea 3,365 HP Wartsila 8L26 Total HP 13,460	4 ea 3,365 HP Wartsila 8L26 Total HP 13,460	4 ea 3,365 HP Wartsila 8L26 Total HP 13,460
MAIN GENERATORS	5 ea Kato 8P10-4400 2,400 KW	5 ea Kato A263790001 3,428 kVA	6 ea Kato 6P6.6-3200HR 1,525 KW	6 ea Kato 6P6.6-3200HR 1,525 KW	5 ea Kato 6P6.6-3200HR 1,525 KW	5 ea Kato 6P6.6-3200HR 1,525 KW	4 ea Leroy Somer LSA56XL9-8P 2,400 KW	4 ea Leroy Somer LSA56XL9-8P 2,400 KW	4 ea Leroy Somer LSA56XL9-8P 2,400 KW
CRANES	4 ea LeTourneau PCM350SS 1 ea LeTourneau PCM120SS 4 x 124 ft boom 1 x 100 ft boom 1 x PKM KBC	4 ea LeTourneau PCM350SS 1 ea LeTourneau PCM120SS 4 x 124 ft boom 1 x 100 ft boom	3 ea LeTourneau PCM20SS 2 x 140 ft boom 1 x 120 ft boom	3 ea LeTourneau PCM20SS 2 x 140 ft boom 1 x 120 ft boom	2 ea LeTourneau PCM20SS & 2 ea LeTourneau PCM120SS 2 x 140 ft boom 1 x 100 ft boom	2 ea LeTourneau PCM20SS & 2 ea LeTourneau PCM120SS 2 x 140 ft boom 1 x 100 ft boom	3 ea Liebherr BOS 2600-50 D Lit 3 x 150 boom 1 x NOV KBC	3 ea Liebherr BOS 2600-50 D Lit 3 x 150 boom 1 x NOV KBC	3 ea Liebherr BOS 2600-50 D Lit 3 x 150 boom 1 x NOV KBC
ACCOMMODATION	120 Persons	120 Persons	120 Persons	108 Persons	120 Persons	120 Persons	120 Persons	120 Persons	120 Persons
HELIDECK CAPACITY	EH101 / S-61	EH101 / S-61	S-61 / S-92	S-61 / S-92	S-61N	S-61N	S-61 / S-92	S-61 / S-92	S-61 / S-92
HELIDECK SIZE	95 ft x 90 ft	95 ft x 90 ft	73 ft across flats	73 ft across flats	73 ft across flats	73 ft across flats	73 ft across flats	73 ft across flats	73 ft across flats
WINCHES	4 x 50 ton ea	4 x 50 ton ea	N/A	N/A	4 x 22 ton ea	N/A	4 x 60 ton ea	4 x 60 ton ea	4 x 60 ton ea
DRILL PIPE	4" S-135 XT39 5 1/2" S-135 TSDS-55	5 1/2" S-135 5 1/2 FH	5 1/2" S-135 SSDS	5" S-135 NC50	5 7/8" S-135 XT57	5" S-135 NC50	5" S-135 NC50	5 1/2" S-135 5 1/2 FH	5" S-135 NC50 5 1/2" S-135 5 1/2 FH
PREVIOUS NAMES	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
BUSINESS UNIT (CURRENTLY OPERATING)	EUM	EUM	NSA	NSA	NSA	NSA	EUM	EUM	EUM